


Arcanite (K_2SO_4 , $H1_6$) Structure: A2B4C_oP28_62_2c_2cd_c-001

This structure originally had the label A2B4C_oP28_62_2c_2cd_c. Calls to that address will be redirected here.

Cite this page as: D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/p/HEYH>

https://aflow.org/p/A2B4C_oP28_62_2c_2cd_c-001



Prototype	$\text{K}_2\text{O}_4\text{S}$
AFLOW prototype label	A2B4C_oP28_62_2c_2cd_c-001
Strukturbericht designation	$H1_6$
Mineral name	arcanite
ICSD	2827
Pearson symbol	oP28
Space group number	62
Space group symbol	$Pnma$
AFLOW prototype command	<pre>aflow --proto=A2B4C_oP28_62_2c_2cd_c-001 --params=a,b/a,c/a,x1,z1,x2,z2,x3,z3,x4,z4,x5,z5,x6,y6,z6</pre>


Other compounds with this structure

K_2CrO_4 , K_2MnO_4 , K_2SeO_4 , Cs_2CuCl_4

- (McGinnety, 1972) gives the atomic positions using the $Pnam$ setting of space group #62. We have switched the y- and z-axes to put the crystal in the standard $Pnma$ setting.

Simple Orthorhombic primitive vectors

$$\begin{aligned}\mathbf{a}_1 &= a \hat{\mathbf{x}} \\ \mathbf{a}_2 &= b \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \hat{\mathbf{z}}\end{aligned}$$



Basis vectors

	Lattice coordinates	Cartesian coordinates	Wyckoff position	Atom type
\mathbf{B}_1	$x_1 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_1 \mathbf{a}_3$	$a x_1 \hat{\mathbf{x}} + \frac{1}{4} b \hat{\mathbf{y}} + c z_1 \hat{\mathbf{z}}$	(4c)	K I
\mathbf{B}_2	$-(x_1 - \frac{1}{2}) \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	$-a(x_1 - \frac{1}{2}) \hat{\mathbf{x}} + \frac{3}{4} b \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	K I
\mathbf{B}_3	$-x_1 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_1 \mathbf{a}_3$	$-a x_1 \hat{\mathbf{x}} + \frac{3}{4} b \hat{\mathbf{y}} - c z_1 \hat{\mathbf{z}}$	(4c)	K I
\mathbf{B}_4	$(x_1 + \frac{1}{2}) \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 - (z_1 - \frac{1}{2}) \mathbf{a}_3$	$a(x_1 + \frac{1}{2}) \hat{\mathbf{x}} + \frac{1}{4} b \hat{\mathbf{y}} - c(z_1 - \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	K I
\mathbf{B}_5	$x_2 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_2 \mathbf{a}_3$	$a x_2 \hat{\mathbf{x}} + \frac{1}{4} b \hat{\mathbf{y}} + c z_2 \hat{\mathbf{z}}$	(4c)	K II
\mathbf{B}_6	$-(x_2 - \frac{1}{2}) \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	$-a(x_2 - \frac{1}{2}) \hat{\mathbf{x}} + \frac{3}{4} b \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	K II
\mathbf{B}_7	$-x_2 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_2 \mathbf{a}_3$	$-a x_2 \hat{\mathbf{x}} + \frac{3}{4} b \hat{\mathbf{y}} - c z_2 \hat{\mathbf{z}}$	(4c)	K II
\mathbf{B}_8	$(x_2 + \frac{1}{2}) \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 - (z_2 - \frac{1}{2}) \mathbf{a}_3$	$a(x_2 + \frac{1}{2}) \hat{\mathbf{x}} + \frac{1}{4} b \hat{\mathbf{y}} - c(z_2 - \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	K II
\mathbf{B}_9	$x_3 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_3 \mathbf{a}_3$	$a x_3 \hat{\mathbf{x}} + \frac{1}{4} b \hat{\mathbf{y}} + c z_3 \hat{\mathbf{z}}$	(4c)	O I
\mathbf{B}_{10}	$-(x_3 - \frac{1}{2}) \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	$-a(x_3 - \frac{1}{2}) \hat{\mathbf{x}} + \frac{3}{4} b \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	O I
\mathbf{B}_{11}	$-x_3 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_3 \mathbf{a}_3$	$-a x_3 \hat{\mathbf{x}} + \frac{3}{4} b \hat{\mathbf{y}} - c z_3 \hat{\mathbf{z}}$	(4c)	O I
\mathbf{B}_{12}	$(x_3 + \frac{1}{2}) \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 - (z_3 - \frac{1}{2}) \mathbf{a}_3$	$a(x_3 + \frac{1}{2}) \hat{\mathbf{x}} + \frac{1}{4} b \hat{\mathbf{y}} - c(z_3 - \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	O I
\mathbf{B}_{13}	$x_4 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_4 \mathbf{a}_3$	$a x_4 \hat{\mathbf{x}} + \frac{1}{4} b \hat{\mathbf{y}} + c z_4 \hat{\mathbf{z}}$	(4c)	O II
\mathbf{B}_{14}	$-(x_4 - \frac{1}{2}) \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	$-a(x_4 - \frac{1}{2}) \hat{\mathbf{x}} + \frac{3}{4} b \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	O II
\mathbf{B}_{15}	$-x_4 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_4 \mathbf{a}_3$	$-a x_4 \hat{\mathbf{x}} + \frac{3}{4} b \hat{\mathbf{y}} - c z_4 \hat{\mathbf{z}}$	(4c)	O II
\mathbf{B}_{16}	$(x_4 + \frac{1}{2}) \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 - (z_4 - \frac{1}{2}) \mathbf{a}_3$	$a(x_4 + \frac{1}{2}) \hat{\mathbf{x}} + \frac{1}{4} b \hat{\mathbf{y}} - c(z_4 - \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	O II
\mathbf{B}_{17}	$x_5 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_5 \mathbf{a}_3$	$a x_5 \hat{\mathbf{x}} + \frac{1}{4} b \hat{\mathbf{y}} + c z_5 \hat{\mathbf{z}}$	(4c)	S I
\mathbf{B}_{18}	$-(x_5 - \frac{1}{2}) \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3$	$-a(x_5 - \frac{1}{2}) \hat{\mathbf{x}} + \frac{3}{4} b \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	S I
\mathbf{B}_{19}	$-x_5 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_5 \mathbf{a}_3$	$-a x_5 \hat{\mathbf{x}} + \frac{3}{4} b \hat{\mathbf{y}} - c z_5 \hat{\mathbf{z}}$	(4c)	S I
\mathbf{B}_{20}	$(x_5 + \frac{1}{2}) \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 - (z_5 - \frac{1}{2}) \mathbf{a}_3$	$a(x_5 + \frac{1}{2}) \hat{\mathbf{x}} + \frac{1}{4} b \hat{\mathbf{y}} - c(z_5 - \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	S I
\mathbf{B}_{21}	$x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3$	$a x_6 \hat{\mathbf{x}} + b y_6 \hat{\mathbf{y}} + c z_6 \hat{\mathbf{z}}$	(8d)	O III
\mathbf{B}_{22}	$-(x_6 - \frac{1}{2}) \mathbf{a}_1 - y_6 \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3$	$-a(x_6 - \frac{1}{2}) \hat{\mathbf{x}} - b y_6 \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O III
\mathbf{B}_{23}	$-x_6 \mathbf{a}_1 + (y_6 + \frac{1}{2}) \mathbf{a}_2 - z_6 \mathbf{a}_3$	$-a x_6 \hat{\mathbf{x}} + b(y_6 + \frac{1}{2}) \hat{\mathbf{y}} - c z_6 \hat{\mathbf{z}}$	(8d)	O III
\mathbf{B}_{24}	$(x_6 + \frac{1}{2}) \mathbf{a}_1 - (y_6 - \frac{1}{2}) \mathbf{a}_2 - (z_6 - \frac{1}{2}) \mathbf{a}_3$	$a(x_6 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_6 - \frac{1}{2}) \hat{\mathbf{y}} - c(z_6 - \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O III

$$\begin{aligned}
\mathbf{B}_{25} &= -x_6 \mathbf{a}_1 - y_6 \mathbf{a}_2 - z_6 \mathbf{a}_3 & = & -ax_6 \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} - cz_6 \hat{\mathbf{z}} & (8d) & \text{O III} \\
\mathbf{B}_{26} &= \left(x_6 + \frac{1}{2}\right) \mathbf{a}_1 + y_6 \mathbf{a}_2 - \left(z_6 - \frac{1}{2}\right) \mathbf{a}_3 & = & a\left(x_6 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} - c\left(z_6 - \frac{1}{2}\right) \hat{\mathbf{z}} & (8d) & \text{O III} \\
\mathbf{B}_{27} &= x_6 \mathbf{a}_1 - \left(y_6 - \frac{1}{2}\right) \mathbf{a}_2 + z_6 \mathbf{a}_3 & = & ax_6 \hat{\mathbf{x}} - b\left(y_6 - \frac{1}{2}\right) \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}} & (8d) & \text{O III} \\
\mathbf{B}_{28} &= -\left(x_6 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_6 + \frac{1}{2}\right) \mathbf{a}_2 + \left(z_6 + \frac{1}{2}\right) \mathbf{a}_3 & = & -a\left(x_6 - \frac{1}{2}\right) \hat{\mathbf{x}} + b\left(y_6 + \frac{1}{2}\right) \hat{\mathbf{y}} + c\left(z_6 + \frac{1}{2}\right) \hat{\mathbf{z}} & (8d) & \text{O III}
\end{aligned}$$

References

[1] J. A. McGinnety, *Redetermination of the structures of potassium sulphate and potassium chromate: the effect of electrostatic crystal forces upon observed bond lengths*, Acta Crystallogr. Sect. B **28**, 2845–2852 (1972), doi:10.1107/S0567740872007022.

Found in

[1] R. T. Downs and M. Hall-Wallace, *The American Mineralogist Crystal Structure Database*, Am. Mineral. **88**, 247–250 (2003).