


# Re<sub>2</sub>O<sub>5</sub>(SO<sub>4</sub>)<sub>2</sub> Structure: A13B2C2\_oP34\_32\_a6c\_c\_c-001

This structure originally had the label A13B2C2\_oP34\_32\_a6c\_c\_c. Calls to that address will be redirected here.

Cite this page as: D. Hicks, M. J. Mehl, E. Gossett, C. Toher, O. Levy, R. M. Hanson, G. Hart, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 2*, Comput. Mater. Sci. **161**, S1 (2019). doi: 10.1016/j.commatsci.2018.10.043

<https://aflow.org/p/16XX>

[https://aflow.org/p/A13B2C2\\_oP34\\_32\\_a6c\\_c\\_c-001](https://aflow.org/p/A13B2C2_oP34_32_a6c_c_c-001)




Prototype	O <sub>13</sub> Re <sub>2</sub> S <sub>2</sub>
AFLOW prototype label	A13B2C2_oP34_32_a6c_c_c-001
ICSD	421956
Pearson symbol	oP34
Space group number	32
Space group symbol	<i>Pba</i> 2
AFLOW prototype command	<pre>aflow --proto=A13B2C2_oP34_32_a6c_c_c-001       --params=a, b/a, c/a, z1, x2, y2, z2, x3, y3, z3, x4, y4, z4, x5, y5, z5, x6, y6, z6, x7, y7, z7, x8,       y8, z8, x9, y9, z9</pre>

---

Simple Orthorhombic primitive vectors

$$\begin{aligned}\mathbf{a}_1 &= a \hat{\mathbf{x}} \\ \mathbf{a}_2 &= b \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \hat{\mathbf{z}}\end{aligned}$$




---

## Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$= z_1 \mathbf{a}_3$	$=$	$cz_1 \hat{\mathbf{z}}$	(2a)	O I
$\mathbf{B}_2$	$= \frac{1}{2} \mathbf{a}_1 + \frac{1}{2} \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} + \frac{1}{2}b \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(2a)	O I
$\mathbf{B}_3$	$= x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$ax_2 \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4c)	O II
$\mathbf{B}_4$	$= -x_2 \mathbf{a}_1 - y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$-ax_2 \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4c)	O II
$\mathbf{B}_5$	$= (x_2 + \frac{1}{2}) \mathbf{a}_1 - (y_2 - \frac{1}{2}) \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$a(x_2 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_2 - \frac{1}{2}) \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4c)	O II
$\mathbf{B}_6$	$= -(x_2 - \frac{1}{2}) \mathbf{a}_1 + (y_2 + \frac{1}{2}) \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$-a(x_2 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_2 + \frac{1}{2}) \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4c)	O II
$\mathbf{B}_7$	$= x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$ax_3 \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4c)	O III
$\mathbf{B}_8$	$= -x_3 \mathbf{a}_1 - y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4c)	O III
$\mathbf{B}_9$	$= (x_3 + \frac{1}{2}) \mathbf{a}_1 - (y_3 - \frac{1}{2}) \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$a(x_3 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_3 - \frac{1}{2}) \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4c)	O III
$\mathbf{B}_{10}$	$= -(x_3 - \frac{1}{2}) \mathbf{a}_1 + (y_3 + \frac{1}{2}) \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$-a(x_3 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_3 + \frac{1}{2}) \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4c)	O III
$\mathbf{B}_{11}$	$= x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$ax_4 \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4c)	O IV
$\mathbf{B}_{12}$	$= -x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$-ax_4 \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4c)	O IV
$\mathbf{B}_{13}$	$= (x_4 + \frac{1}{2}) \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$a(x_4 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_4 - \frac{1}{2}) \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4c)	O IV
$\mathbf{B}_{14}$	$= -(x_4 - \frac{1}{2}) \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$-a(x_4 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_4 + \frac{1}{2}) \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4c)	O IV
$\mathbf{B}_{15}$	$= x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$ax_5 \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4c)	O V
$\mathbf{B}_{16}$	$= -x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$-ax_5 \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4c)	O V
$\mathbf{B}_{17}$	$= (x_5 + \frac{1}{2}) \mathbf{a}_1 - (y_5 - \frac{1}{2}) \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$a(x_5 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_5 - \frac{1}{2}) \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4c)	O V
$\mathbf{B}_{18}$	$= -(x_5 - \frac{1}{2}) \mathbf{a}_1 + (y_5 + \frac{1}{2}) \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$-a(x_5 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_5 + \frac{1}{2}) \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4c)	O V
$\mathbf{B}_{19}$	$= x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$ax_6 \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(4c)	O VI
$\mathbf{B}_{20}$	$= -x_6 \mathbf{a}_1 - y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$-ax_6 \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(4c)	O VI
$\mathbf{B}_{21}$	$= (x_6 + \frac{1}{2}) \mathbf{a}_1 - (y_6 - \frac{1}{2}) \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$a(x_6 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_6 - \frac{1}{2}) \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(4c)	O VI
$\mathbf{B}_{22}$	$= -(x_6 - \frac{1}{2}) \mathbf{a}_1 + (y_6 + \frac{1}{2}) \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$-a(x_6 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_6 + \frac{1}{2}) \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(4c)	O VI
$\mathbf{B}_{23}$	$= x_7 \mathbf{a}_1 + y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3$	$=$	$ax_7 \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(4c)	O VII
$\mathbf{B}_{24}$	$= -x_7 \mathbf{a}_1 - y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3$	$=$	$-ax_7 \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(4c)	O VII
$\mathbf{B}_{25}$	$= (x_7 + \frac{1}{2}) \mathbf{a}_1 - (y_7 - \frac{1}{2}) \mathbf{a}_2 + z_7 \mathbf{a}_3$	$=$	$a(x_7 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_7 - \frac{1}{2}) \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(4c)	O VII
$\mathbf{B}_{26}$	$= -(x_7 - \frac{1}{2}) \mathbf{a}_1 + (y_7 + \frac{1}{2}) \mathbf{a}_2 + z_7 \mathbf{a}_3$	$=$	$-a(x_7 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_7 + \frac{1}{2}) \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(4c)	O VII

$$\begin{aligned}
\mathbf{B}_{27} &= x_8 \mathbf{a}_1 + y_8 \mathbf{a}_2 + z_8 \mathbf{a}_3 &= ax_8 \hat{\mathbf{x}} + by_8 \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}} &(4c) &\text{Re I} \\
\mathbf{B}_{28} &= -x_8 \mathbf{a}_1 - y_8 \mathbf{a}_2 + z_8 \mathbf{a}_3 &= -ax_8 \hat{\mathbf{x}} - by_8 \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}} &(4c) &\text{Re I} \\
\mathbf{B}_{29} &= \left(x_8 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_8 - \frac{1}{2}\right) \mathbf{a}_2 + z_8 \mathbf{a}_3 &= a \left(x_8 + \frac{1}{2}\right) \hat{\mathbf{x}} - b \left(y_8 - \frac{1}{2}\right) \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}} &(4c) &\text{Re I} \\
\mathbf{B}_{30} &= -\left(x_8 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_8 + \frac{1}{2}\right) \mathbf{a}_2 + z_8 \mathbf{a}_3 &= -a \left(x_8 - \frac{1}{2}\right) \hat{\mathbf{x}} + b \left(y_8 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}} &(4c) &\text{Re I} \\
\mathbf{B}_{31} &= x_9 \mathbf{a}_1 + y_9 \mathbf{a}_2 + z_9 \mathbf{a}_3 &= ax_9 \hat{\mathbf{x}} + by_9 \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}} &(4c) &\text{S I} \\
\mathbf{B}_{32} &= -x_9 \mathbf{a}_1 - y_9 \mathbf{a}_2 + z_9 \mathbf{a}_3 &= -ax_9 \hat{\mathbf{x}} - by_9 \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}} &(4c) &\text{S I} \\
\mathbf{B}_{33} &= \left(x_9 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_9 - \frac{1}{2}\right) \mathbf{a}_2 + z_9 \mathbf{a}_3 &= a \left(x_9 + \frac{1}{2}\right) \hat{\mathbf{x}} - b \left(y_9 - \frac{1}{2}\right) \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}} &(4c) &\text{S I} \\
\mathbf{B}_{34} &= -\left(x_9 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_9 + \frac{1}{2}\right) \mathbf{a}_2 + z_9 \mathbf{a}_3 &= -a \left(x_9 - \frac{1}{2}\right) \hat{\mathbf{x}} + b \left(y_9 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}} &(4c) &\text{S I}
\end{aligned}$$

## References

- [1] U. Betke and M. S. Wickleder, *Sulfates of the Refractory Metals: Crystal Structure and Thermal Behavior of Nb<sub>2</sub>O<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>, MoO<sub>2</sub>(SO<sub>4</sub>), WO(SO<sub>4</sub>)<sub>2</sub>, and Two Modifications of Re<sub>2</sub>O<sub>5</sub>(SO<sub>4</sub>)<sub>2</sub>*, *Inorg. Chem.* **50**, 858–872 (2001), doi:10.1021/ic101455z.

## Found in

- [1] P. Villars and K. Cenzual, *Pearson's Crystal Data – Crystal Structure Database for Inorganic Compounds* (2013). ASM International.