


Al₂S₃ Structure: A2B3_hP30_170_2a_3a-001

This structure originally had the label **A2B3_hP30_170_2a_3a**. Calls to that address will be redirected here.

Cite this page as: D. Hicks, M. J. Mehl, E. Gossett, C. Toher, O. Levy, R. M. Hanson, G. Hart, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 2*, Comput. Mater. Sci. **161**, S1 (2019). doi: 10.1016/j.commatsci.2018.10.043

<https://aflow.org/p/G6GN>

https://aflow.org/p/A2B3_hP30_170_2a_3a-001



Prototype	Al ₂ S ₃
AFLOW prototype label	A2B3_hP30_170_2a_3a-001
ICSD	300213
Pearson symbol	hP30
Space group number	170
Space group symbol	<i>P</i> 6 ₅
AFLOW prototype command	<code>aflow --proto=A2B3_hP30_170_2a_3a-001 --params=a, c/a, x₁, y₁, z₁, x₂, y₂, z₂, x₃, y₃, z₃, x₄, y₄, z₄, x₅, y₅, z₅</code>

Other compounds with this structure


In₂S₃

- This structure is the enantiomorph of the Al₂S₃ (A2B3_hP30_169_2a_3a) structure. The ICSD information is for that space group.

- Space group $P6_5$ #170 allows an arbitrary choice for the origin of the z -axis. We set this by taking $z_4 = 0$ for the S-I site.

Hexagonal primitive vectors

$$\begin{aligned}\mathbf{a}_1 &= \frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a \hat{\mathbf{y}} \\ \mathbf{a}_2 &= \frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \hat{\mathbf{z}}\end{aligned}$$



Basis vectors

	Lattice coordinates	Cartesian coordinates	Wyckoff position	Atom type
\mathbf{B}_1	$x_1 \mathbf{a}_1 + y_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	$= \frac{1}{2}a(x_1 + y_1) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_1 - y_1) \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(6a)	Al I
\mathbf{B}_2	$-y_1 \mathbf{a}_1 + (x_1 - y_1) \mathbf{a}_2 + (z_1 + \frac{2}{3}) \mathbf{a}_3$	$= \frac{1}{2}a(x_1 - 2y_1) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_1 \hat{\mathbf{y}} + \frac{1}{3}c(3z_1 + 2) \hat{\mathbf{z}}$	(6a)	Al I
\mathbf{B}_3	$-(x_1 - y_1) \mathbf{a}_1 - x_1 \mathbf{a}_2 + (z_1 + \frac{1}{3}) \mathbf{a}_3$	$= -\frac{1}{2}a(2x_1 - y_1) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_1 \hat{\mathbf{y}} + c(z_1 + \frac{1}{3}) \hat{\mathbf{z}}$	(6a)	Al I
\mathbf{B}_4	$-x_1 \mathbf{a}_1 - y_1 \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	$= -\frac{1}{2}a(x_1 + y_1) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_1 - y_1) \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \hat{\mathbf{z}}$	(6a)	Al I
\mathbf{B}_5	$y_1 \mathbf{a}_1 - (x_1 - y_1) \mathbf{a}_2 + (z_1 + \frac{1}{6}) \mathbf{a}_3$	$= \frac{1}{2}a(-x_1 + 2y_1) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_1 \hat{\mathbf{y}} + c(z_1 + \frac{1}{6}) \hat{\mathbf{z}}$	(6a)	Al I
\mathbf{B}_6	$(x_1 - y_1) \mathbf{a}_1 + x_1 \mathbf{a}_2 + (z_1 + \frac{5}{6}) \mathbf{a}_3$	$= \frac{1}{2}a(2x_1 - y_1) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ay_1 \hat{\mathbf{y}} + \frac{1}{6}c(6z_1 + 5) \hat{\mathbf{z}}$	(6a)	Al I
\mathbf{B}_7	$x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$= \frac{1}{2}a(x_2 + y_2) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_2 - y_2) \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(6a)	Al II
\mathbf{B}_8	$-y_2 \mathbf{a}_1 + (x_2 - y_2) \mathbf{a}_2 + (z_2 + \frac{2}{3}) \mathbf{a}_3$	$= \frac{1}{2}a(x_2 - 2y_2) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_2 \hat{\mathbf{y}} + \frac{1}{3}c(3z_2 + 2) \hat{\mathbf{z}}$	(6a)	Al II
\mathbf{B}_9	$-(x_2 - y_2) \mathbf{a}_1 - x_2 \mathbf{a}_2 + (z_2 + \frac{1}{3}) \mathbf{a}_3$	$= -\frac{1}{2}a(2x_2 - y_2) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_2 \hat{\mathbf{y}} + c(z_2 + \frac{1}{3}) \hat{\mathbf{z}}$	(6a)	Al II
\mathbf{B}_{10}	$-x_2 \mathbf{a}_1 - y_2 \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	$= -\frac{1}{2}a(x_2 + y_2) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_2 - y_2) \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(6a)	Al II
\mathbf{B}_{11}	$y_2 \mathbf{a}_1 - (x_2 - y_2) \mathbf{a}_2 + (z_2 + \frac{1}{6}) \mathbf{a}_3$	$= \frac{1}{2}a(-x_2 + 2y_2) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_2 \hat{\mathbf{y}} + c(z_2 + \frac{1}{6}) \hat{\mathbf{z}}$	(6a)	Al II
\mathbf{B}_{12}	$(x_2 - y_2) \mathbf{a}_1 + x_2 \mathbf{a}_2 + (z_2 + \frac{5}{6}) \mathbf{a}_3$	$= \frac{1}{2}a(2x_2 - y_2) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ay_2 \hat{\mathbf{y}} + \frac{1}{6}c(6z_2 + 5) \hat{\mathbf{z}}$	(6a)	Al II
\mathbf{B}_{13}	$x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$= \frac{1}{2}a(x_3 + y_3) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_3 - y_3) \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(6a)	S I
\mathbf{B}_{14}	$-y_3 \mathbf{a}_1 + (x_3 - y_3) \mathbf{a}_2 + (z_3 + \frac{2}{3}) \mathbf{a}_3$	$= \frac{1}{2}a(x_3 - 2y_3) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_3 \hat{\mathbf{y}} + \frac{1}{3}c(3z_3 + 2) \hat{\mathbf{z}}$	(6a)	S I
\mathbf{B}_{15}	$-(x_3 - y_3) \mathbf{a}_1 - x_3 \mathbf{a}_2 + (z_3 + \frac{1}{3}) \mathbf{a}_3$	$= -\frac{1}{2}a(2x_3 - y_3) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_3 \hat{\mathbf{y}} + c(z_3 + \frac{1}{3}) \hat{\mathbf{z}}$	(6a)	S I
\mathbf{B}_{16}	$-x_3 \mathbf{a}_1 - y_3 \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	$= -\frac{1}{2}a(x_3 + y_3) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_3 - y_3) \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(6a)	S I
\mathbf{B}_{17}	$y_3 \mathbf{a}_1 - (x_3 - y_3) \mathbf{a}_2 + (z_3 + \frac{1}{6}) \mathbf{a}_3$	$= \frac{1}{2}a(-x_3 + 2y_3) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_3 \hat{\mathbf{y}} + c(z_3 + \frac{1}{6}) \hat{\mathbf{z}}$	(6a)	S I
\mathbf{B}_{18}	$(x_3 - y_3) \mathbf{a}_1 + x_3 \mathbf{a}_2 + (z_3 + \frac{5}{6}) \mathbf{a}_3$	$= \frac{1}{2}a(2x_3 - y_3) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ay_3 \hat{\mathbf{y}} + \frac{1}{6}c(6z_3 + 5) \hat{\mathbf{z}}$	(6a)	S I
\mathbf{B}_{19}	$x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	$= \frac{1}{2}a(x_4 + y_4) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_4 - y_4) \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(6a)	S II
\mathbf{B}_{20}	$-y_4 \mathbf{a}_1 + (x_4 - y_4) \mathbf{a}_2 + (z_4 + \frac{2}{3}) \mathbf{a}_3$	$= \frac{1}{2}a(x_4 - 2y_4) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_4 \hat{\mathbf{y}} + \frac{1}{3}c(3z_4 + 2) \hat{\mathbf{z}}$	(6a)	S II
\mathbf{B}_{21}	$-(x_4 - y_4) \mathbf{a}_1 - x_4 \mathbf{a}_2 + (z_4 + \frac{1}{3}) \mathbf{a}_3$	$= -\frac{1}{2}a(2x_4 - y_4) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_4 \hat{\mathbf{y}} + c(z_4 + \frac{1}{3}) \hat{\mathbf{z}}$	(6a)	S II
\mathbf{B}_{22}	$-x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	$= -\frac{1}{2}a(x_4 + y_4) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_4 - y_4) \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(6a)	S II

$$\begin{aligned}
\mathbf{B}_{23} &= y_4 \mathbf{a}_1 - (x_4 - y_4) \mathbf{a}_2 + \left(z_4 + \frac{1}{6}\right) \mathbf{a}_3 = \frac{1}{2}a(-x_4 + 2y_4) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_4 \hat{\mathbf{y}} + c\left(z_4 + \frac{1}{6}\right) \hat{\mathbf{z}} & (6a) & \text{S II} \\
\mathbf{B}_{24} &= (x_4 - y_4) \mathbf{a}_1 + x_4 \mathbf{a}_2 + \left(z_4 + \frac{5}{6}\right) \mathbf{a}_3 = \frac{1}{2}a(2x_4 - y_4) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ay_4 \hat{\mathbf{y}} + \frac{1}{6}c(6z_4 + 5) \hat{\mathbf{z}} & (6a) & \text{S II} \\
\mathbf{B}_{25} &= x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3 = \frac{1}{2}a(x_5 + y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_5 - y_5) \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}} & (6a) & \text{S III} \\
\mathbf{B}_{26} &= -y_5 \mathbf{a}_1 + (x_5 - y_5) \mathbf{a}_2 + \left(z_5 + \frac{2}{3}\right) \mathbf{a}_3 = \frac{1}{2}a(x_5 - 2y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} + \frac{1}{3}c(3z_5 + 2) \hat{\mathbf{z}} & (6a) & \text{S III} \\
\mathbf{B}_{27} &= -(x_5 - y_5) \mathbf{a}_1 - x_5 \mathbf{a}_2 + \left(z_5 + \frac{1}{3}\right) \mathbf{a}_3 = -\frac{1}{2}a(2x_5 - y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_5 \hat{\mathbf{y}} + c\left(z_5 + \frac{1}{3}\right) \hat{\mathbf{z}} & (6a) & \text{S III} \\
\mathbf{B}_{28} &= -x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 + \left(z_5 + \frac{1}{2}\right) \mathbf{a}_3 = -\frac{1}{2}a(x_5 + y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_5 - y_5) \hat{\mathbf{y}} + c\left(z_5 + \frac{1}{2}\right) \hat{\mathbf{z}} & (6a) & \text{S III} \\
\mathbf{B}_{29} &= y_5 \mathbf{a}_1 - (x_5 - y_5) \mathbf{a}_2 + \left(z_5 + \frac{1}{6}\right) \mathbf{a}_3 = \frac{1}{2}a(-x_5 + 2y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} + c\left(z_5 + \frac{1}{6}\right) \hat{\mathbf{z}} & (6a) & \text{S III} \\
\mathbf{B}_{30} &= (x_5 - y_5) \mathbf{a}_1 + x_5 \mathbf{a}_2 + \left(z_5 + \frac{5}{6}\right) \mathbf{a}_3 = \frac{1}{2}a(2x_5 - y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ay_5 \hat{\mathbf{y}} + \frac{1}{6}c(6z_5 + 5) \hat{\mathbf{z}} & (6a) & \text{S III}
\end{aligned}$$

References

- [1] B. Eisenmann, *Crystal structure of -dialuminium trisulfide, Al_2S_3* , Z. Kristallogr. **198**, 307–308 (1992), doi:10.1524/zkri.1992.198.14.307.

Found in

- [1] P. Villars and K. Cenzual, *Pearson's Crystal Data – Crystal Structure Database for Inorganic Compounds* (2013). ASM International.