

Selenic Acid (H_2SeO_3) Structure:


A2B4C_oP28_19_2a_4a_a-001

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Osos, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/AWUK>


https://aflow.org/prototype-encyclopedia/A2B4C_oP28_19_2a_4a_a-001



Prototype	$\text{H}_2\text{O}_4\text{Se}$
AFLOW prototype label	A2B4C_oP28_19_2a_4a_a-001
ICSD	38432
CCDC	1609077
Pearson symbol	oP28
Space group number	19
Space group symbol	$P2_12_12_1$
AFLOW prototype command	<pre>aflow --proto=A2B4C_oP28_19_2a_4a_a-001 --params=a,b/a,c/a,x1,y1,z1,x2,y2,z2,x3,y3,z3,x4,y4,z4,x5,y5,z5,x6,y6,z6,x7, y7,z7</pre>

- Not to be confused with selenious acid, H_2SeO_3 .
- Data taken at 10K by (Moodenbaugh, 1983), refining the structur found by (Bailey, 1951)..


Simple Orthorhombic primitive vectors



$$\mathbf{a}_1 = a \hat{\mathbf{x}}$$

$$\mathbf{a}_2 = b \hat{\mathbf{y}}$$

$$\mathbf{a}_3 = c \hat{\mathbf{z}}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$= x_1 \mathbf{a}_1 + y_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$ax_1 \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(4a)	H I
$\mathbf{B}_2$	$= -\left(x_1 - \frac{1}{2}\right) \mathbf{a}_1 - y_1 \mathbf{a}_2 + \left(z_1 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_1 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} + c\left(z_1 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(4a)	H I
$\mathbf{B}_3$	$= -x_1 \mathbf{a}_1 + \left(y_1 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_1 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_1 \hat{\mathbf{x}} + b\left(y_1 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_1 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(4a)	H I
$\mathbf{B}_4$	$= \left(x_1 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_1 - \frac{1}{2}\right) \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$a\left(x_1 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_1 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_1 \hat{\mathbf{z}}$	(4a)	H I
$\mathbf{B}_5$	$= x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$ax_2 \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4a)	H II
$\mathbf{B}_6$	$= -\left(x_2 - \frac{1}{2}\right) \mathbf{a}_1 - y_2 \mathbf{a}_2 + \left(z_2 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_2 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} + c\left(z_2 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(4a)	H II
$\mathbf{B}_7$	$= -x_2 \mathbf{a}_1 + \left(y_2 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_2 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_2 \hat{\mathbf{x}} + b\left(y_2 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_2 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(4a)	H II
$\mathbf{B}_8$	$= \left(x_2 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_2 - \frac{1}{2}\right) \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$a\left(x_2 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_2 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(4a)	H II
$\mathbf{B}_9$	$= x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$ax_3 \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4a)	O I
$\mathbf{B}_{10}$	$= -\left(x_3 - \frac{1}{2}\right) \mathbf{a}_1 - y_3 \mathbf{a}_2 + \left(z_3 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_3 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} + c\left(z_3 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(4a)	O I
$\mathbf{B}_{11}$	$= -x_3 \mathbf{a}_1 + \left(y_3 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_3 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} + b\left(y_3 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_3 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(4a)	O I
$\mathbf{B}_{12}$	$= \left(x_3 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_3 - \frac{1}{2}\right) \mathbf{a}_2 - z_3 \mathbf{a}_3$	$=$	$a\left(x_3 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_3 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	(4a)	O I
$\mathbf{B}_{13}$	$= x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$ax_4 \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4a)	O II
$\mathbf{B}_{14}$	$= -\left(x_4 - \frac{1}{2}\right) \mathbf{a}_1 - y_4 \mathbf{a}_2 + \left(z_4 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_4 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} + c\left(z_4 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(4a)	O II
$\mathbf{B}_{15}$	$= -x_4 \mathbf{a}_1 + \left(y_4 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_4 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_4 \hat{\mathbf{x}} + b\left(y_4 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_4 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(4a)	O II
$\mathbf{B}_{16}$	$= \left(x_4 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_4 - \frac{1}{2}\right) \mathbf{a}_2 - z_4 \mathbf{a}_3$	$=$	$a\left(x_4 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_4 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_4 \hat{\mathbf{z}}$	(4a)	O II
$\mathbf{B}_{17}$	$= x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$ax_5 \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4a)	O III
$\mathbf{B}_{18}$	$= -\left(x_5 - \frac{1}{2}\right) \mathbf{a}_1 - y_5 \mathbf{a}_2 + \left(z_5 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_5 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} + c\left(z_5 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(4a)	O III
$\mathbf{B}_{19}$	$= -x_5 \mathbf{a}_1 + \left(y_5 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_5 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_5 \hat{\mathbf{x}} + b\left(y_5 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_5 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(4a)	O III
$\mathbf{B}_{20}$	$= \left(x_5 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_5 - \frac{1}{2}\right) \mathbf{a}_2 - z_5 \mathbf{a}_3$	$=$	$a\left(x_5 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_5 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}}$	(4a)	O III
$\mathbf{B}_{21}$	$= x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$ax_6 \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(4a)	O IV

$$\begin{aligned}
\mathbf{B}_{22} &= -\left(x_6 - \frac{1}{2}\right) \mathbf{a}_1 - y_6 \mathbf{a}_2 + \left(z_6 + \frac{1}{2}\right) \mathbf{a}_3 &= -a \left(x_6 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} + c \left(z_6 + \frac{1}{2}\right) \hat{\mathbf{z}} &(4a) &\quad \text{O IV} \\
\mathbf{B}_{23} &= -x_6 \mathbf{a}_1 + \left(y_6 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_6 - \frac{1}{2}\right) \mathbf{a}_3 &= -ax_6 \hat{\mathbf{x}} + b \left(y_6 + \frac{1}{2}\right) \hat{\mathbf{y}} - c \left(z_6 - \frac{1}{2}\right) \hat{\mathbf{z}} &(4a) &\quad \text{O IV} \\
\mathbf{B}_{24} &= \left(x_6 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_6 - \frac{1}{2}\right) \mathbf{a}_2 - z_6 \mathbf{a}_3 &= a \left(x_6 + \frac{1}{2}\right) \hat{\mathbf{x}} - b \left(y_6 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_6 \hat{\mathbf{z}} &(4a) &\quad \text{O IV} \\
\mathbf{B}_{25} &= x_7 \mathbf{a}_1 + y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3 &= ax_7 \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}} &(4a) &\quad \text{Se I} \\
\mathbf{B}_{26} &= -\left(x_7 - \frac{1}{2}\right) \mathbf{a}_1 - y_7 \mathbf{a}_2 + \left(z_7 + \frac{1}{2}\right) \mathbf{a}_3 &= -a \left(x_7 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} + c \left(z_7 + \frac{1}{2}\right) \hat{\mathbf{z}} &(4a) &\quad \text{Se I} \\
\mathbf{B}_{27} &= -x_7 \mathbf{a}_1 + \left(y_7 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_7 - \frac{1}{2}\right) \mathbf{a}_3 &= -ax_7 \hat{\mathbf{x}} + b \left(y_7 + \frac{1}{2}\right) \hat{\mathbf{y}} - c \left(z_7 - \frac{1}{2}\right) \hat{\mathbf{z}} &(4a) &\quad \text{Se I} \\
\mathbf{B}_{28} &= \left(x_7 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_7 - \frac{1}{2}\right) \mathbf{a}_2 - z_7 \mathbf{a}_3 &= a \left(x_7 + \frac{1}{2}\right) \hat{\mathbf{x}} - b \left(y_7 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_7 \hat{\mathbf{z}} &(4a) &\quad \text{Se I}
\end{aligned}$$

References

- [1] A. R. Moodenbaugh, J. E. Hartt, J. J. Hurst, R. W. Youngblood, D. E. Cox, and B. C. Frazer, *Neutron-diffraction study of polycrystalline H_2SO_4 and H_2SeO_4* , Phys. Rev. B **28**, 3501–3505 (1983), doi:10.1103/PhysRevB.28.3501.
- [2] M. Bailey and A. F. Wells, *The Structures of Inorganic Oxy-acids: The Crystal Structure of Selenic Acid*, J. Chem. Soc. pp. 968–973 (1951), doi:10.1039/JR9510000968.

Found in

- [1] P. V. C. Editor), *$H_2[SeO_4]$ Crystal Structure* (2016). PAULING FILE in: Inorganic Solid Phases, SpringerMaterials (online database), Springer, Heidelberg (ed.) SpringerMaterials.

First cited in

N. Anderson, M. J. Mehl, H. Eckert, S. Divilov, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 5*. Submitted to Computational Materials Science (2026).