


α -Ca₂P₂O₇ Structure: A2B7C2_mP44_14_2e_7e_2e-001

Cite this page as: H. Eckert, S. Divilov, A. Zettel, M. J. Mehl, D. Hicks, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*. In preparation.

<https://aflow.org/p/9VRC>

https://aflow.org/p/A2B7C2_mP44_14_2e_7e_2e-001



Prototype	Ca ₂ O ₇ P ₂
AFLOW prototype label	A2B7C2_mP44_14_2e_7e_2e-001
ICSD	22225
Pearson symbol	mP44
Space group number	14
Space group symbol	$P2_1/c$
AFLOW prototype command	<pre>aflow --proto=A2B7C2_mP44_14_2e_7e_2e-001 --params=a,b/a,c/a,beta,x1,y1,z1,x2,y2,z2,x3,y3,z3,x4,y4,z4,x5,y5,z5,x6,y6,z6,x7, y7,z7,x8,y8,z8,x9,y9,z9,x10,y10,z10,x11,y11,z11</pre>


Other compounds with this structure

Ce₂Si₂O₇, La₂Si₂O₇, Nd₂Si₂O₇, Pr₂Si₂O₇, Sm₂Si₂O₇

- (Felsche, 1970) refers to this as the “G-RE₂Si₂O₇ structure, where “RE” is a rare-earth element.
- This is the high-temperature form of Ca₂P₂O₇. At lower temperatures it transforms into the tetragonal β -Ca₂P₂O₇ structure.

Simple Monoclinic primitive vectors

$$\begin{aligned}
\mathbf{a}_1 &= a \hat{\mathbf{x}} \\
\mathbf{a}_2 &= b \hat{\mathbf{y}} \\
\mathbf{a}_3 &= c \cos \beta \hat{\mathbf{x}} + c \sin \beta \hat{\mathbf{z}}
\end{aligned}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
\mathbf{B}_1	$= x_1 \mathbf{a}_1 + y_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$(ax_1 + cz_1 \cos \beta) \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} + cz_1 \sin \beta \hat{\mathbf{z}}$	(4e)	Ca I
\mathbf{B}_2	$= -x_1 \mathbf{a}_1 + (y_1 + \frac{1}{2}) \mathbf{a}_2 - (z_1 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_1 + c(z_1 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + b(y_1 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_1 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Ca I
\mathbf{B}_3	$= -x_1 \mathbf{a}_1 - y_1 \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$-(ax_1 + cz_1 \cos \beta) \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} - cz_1 \sin \beta \hat{\mathbf{z}}$	(4e)	Ca I
\mathbf{B}_4	$= x_1 \mathbf{a}_1 - (y_1 - \frac{1}{2}) \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_1 + c(z_1 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - b(y_1 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Ca I
\mathbf{B}_5	$= x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$(ax_2 + cz_2 \cos \beta) \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} + cz_2 \sin \beta \hat{\mathbf{z}}$	(4e)	Ca II
\mathbf{B}_6	$= -x_2 \mathbf{a}_1 + (y_2 + \frac{1}{2}) \mathbf{a}_2 - (z_2 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_2 + c(z_2 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + b(y_2 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_2 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Ca II
\mathbf{B}_7	$= -x_2 \mathbf{a}_1 - y_2 \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$-(ax_2 + cz_2 \cos \beta) \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} - cz_2 \sin \beta \hat{\mathbf{z}}$	(4e)	Ca II
\mathbf{B}_8	$= x_2 \mathbf{a}_1 - (y_2 - \frac{1}{2}) \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_2 + c(z_2 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - b(y_2 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Ca II
\mathbf{B}_9	$= x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$(ax_3 + cz_3 \cos \beta) \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} + cz_3 \sin \beta \hat{\mathbf{z}}$	(4e)	O I
\mathbf{B}_{10}	$= -x_3 \mathbf{a}_1 + (y_3 + \frac{1}{2}) \mathbf{a}_2 - (z_3 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_3 + c(z_3 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + b(y_3 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_3 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	O I
\mathbf{B}_{11}	$= -x_3 \mathbf{a}_1 - y_3 \mathbf{a}_2 - z_3 \mathbf{a}_3$	$=$	$-(ax_3 + cz_3 \cos \beta) \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} - cz_3 \sin \beta \hat{\mathbf{z}}$	(4e)	O I
\mathbf{B}_{12}	$= x_3 \mathbf{a}_1 - (y_3 - \frac{1}{2}) \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_3 + c(z_3 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - b(y_3 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	O I
\mathbf{B}_{13}	$= x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$(ax_4 + cz_4 \cos \beta) \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} + cz_4 \sin \beta \hat{\mathbf{z}}$	(4e)	O II
\mathbf{B}_{14}	$= -x_4 \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 - (z_4 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_4 + c(z_4 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + b(y_4 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_4 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	O II
\mathbf{B}_{15}	$= -x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 - z_4 \mathbf{a}_3$	$=$	$-(ax_4 + cz_4 \cos \beta) \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} - cz_4 \sin \beta \hat{\mathbf{z}}$	(4e)	O II
\mathbf{B}_{16}	$= x_4 \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_4 + c(z_4 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - b(y_4 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	O II
\mathbf{B}_{17}	$= x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$(ax_5 + cz_5 \cos \beta) \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} + cz_5 \sin \beta \hat{\mathbf{z}}$	(4e)	O III
\mathbf{B}_{18}	$= -x_5 \mathbf{a}_1 + (y_5 + \frac{1}{2}) \mathbf{a}_2 - (z_5 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_5 + c(z_5 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + b(y_5 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_5 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	O III
\mathbf{B}_{19}	$= -x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 - z_5 \mathbf{a}_3$	$=$	$-(ax_5 + cz_5 \cos \beta) \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} - cz_5 \sin \beta \hat{\mathbf{z}}$	(4e)	O III
\mathbf{B}_{20}	$= x_5 \mathbf{a}_1 - (y_5 - \frac{1}{2}) \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_5 + c(z_5 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - b(y_5 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	O III
\mathbf{B}_{21}	$= x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$(ax_6 + cz_6 \cos \beta) \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} + cz_6 \sin \beta \hat{\mathbf{z}}$	(4e)	O IV
\mathbf{B}_{22}	$= -x_6 \mathbf{a}_1 + (y_6 + \frac{1}{2}) \mathbf{a}_2 - (z_6 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_6 + c(z_6 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + b(y_6 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_6 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	O IV
\mathbf{B}_{23}	$= -x_6 \mathbf{a}_1 - y_6 \mathbf{a}_2 - z_6 \mathbf{a}_3$	$=$	$-(ax_6 + cz_6 \cos \beta) \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} - cz_6 \sin \beta \hat{\mathbf{z}}$	(4e)	O IV

$$\begin{aligned}
\mathbf{B}_{24} &= x_6 \mathbf{a}_1 - \left(y_6 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_6 + \frac{1}{2}\right) \mathbf{a}_3 = \begin{aligned} &(ax_6 + c(z_6 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - \\ &b(y_6 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}} \end{aligned} & (4e) & \text{O IV} \\
\mathbf{B}_{25} &= x_7 \mathbf{a}_1 + y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3 = (ax_7 + cz_7 \cos \beta) \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} + cz_7 \sin \beta \hat{\mathbf{z}} & (4e) & \text{O V} \\
\mathbf{B}_{26} &= -x_7 \mathbf{a}_1 + \left(y_7 + \frac{1}{2}\right) \mathbf{a}_2 - \begin{aligned} &(z_7 - \frac{1}{2}) \mathbf{a}_3 \end{aligned} = \begin{aligned} &-(ax_7 + c(z_7 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + \\ &b(y_7 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_7 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}} \end{aligned} & (4e) & \text{O V} \\
\mathbf{B}_{27} &= -x_7 \mathbf{a}_1 - y_7 \mathbf{a}_2 - z_7 \mathbf{a}_3 = -(ax_7 + cz_7 \cos \beta) \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} - cz_7 \sin \beta \hat{\mathbf{z}} & (4e) & \text{O V} \\
\mathbf{B}_{28} &= x_7 \mathbf{a}_1 - \left(y_7 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_7 + \frac{1}{2}\right) \mathbf{a}_3 = \begin{aligned} &(ax_7 + c(z_7 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - \\ &b(y_7 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}} \end{aligned} & (4e) & \text{O V} \\
\mathbf{B}_{29} &= x_8 \mathbf{a}_1 + y_8 \mathbf{a}_2 + z_8 \mathbf{a}_3 = (ax_8 + cz_8 \cos \beta) \hat{\mathbf{x}} + by_8 \hat{\mathbf{y}} + cz_8 \sin \beta \hat{\mathbf{z}} & (4e) & \text{O VI} \\
\mathbf{B}_{30} &= -x_8 \mathbf{a}_1 + \left(y_8 + \frac{1}{2}\right) \mathbf{a}_2 - \begin{aligned} &(z_8 - \frac{1}{2}) \mathbf{a}_3 \end{aligned} = \begin{aligned} &-(ax_8 + c(z_8 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + \\ &b(y_8 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_8 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}} \end{aligned} & (4e) & \text{O VI} \\
\mathbf{B}_{31} &= -x_8 \mathbf{a}_1 - y_8 \mathbf{a}_2 - z_8 \mathbf{a}_3 = -(ax_8 + cz_8 \cos \beta) \hat{\mathbf{x}} - by_8 \hat{\mathbf{y}} - cz_8 \sin \beta \hat{\mathbf{z}} & (4e) & \text{O VI} \\
\mathbf{B}_{32} &= x_8 \mathbf{a}_1 - \left(y_8 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_8 + \frac{1}{2}\right) \mathbf{a}_3 = \begin{aligned} &(ax_8 + c(z_8 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - \\ &b(y_8 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_8 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}} \end{aligned} & (4e) & \text{O VI} \\
\mathbf{B}_{33} &= x_9 \mathbf{a}_1 + y_9 \mathbf{a}_2 + z_9 \mathbf{a}_3 = (ax_9 + cz_9 \cos \beta) \hat{\mathbf{x}} + by_9 \hat{\mathbf{y}} + cz_9 \sin \beta \hat{\mathbf{z}} & (4e) & \text{O VII} \\
\mathbf{B}_{34} &= -x_9 \mathbf{a}_1 + \left(y_9 + \frac{1}{2}\right) \mathbf{a}_2 - \begin{aligned} &(z_9 - \frac{1}{2}) \mathbf{a}_3 \end{aligned} = \begin{aligned} &-(ax_9 + c(z_9 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + \\ &b(y_9 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_9 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}} \end{aligned} & (4e) & \text{O VII} \\
\mathbf{B}_{35} &= -x_9 \mathbf{a}_1 - y_9 \mathbf{a}_2 - z_9 \mathbf{a}_3 = -(ax_9 + cz_9 \cos \beta) \hat{\mathbf{x}} - by_9 \hat{\mathbf{y}} - cz_9 \sin \beta \hat{\mathbf{z}} & (4e) & \text{O VII} \\
\mathbf{B}_{36} &= x_9 \mathbf{a}_1 - \left(y_9 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_9 + \frac{1}{2}\right) \mathbf{a}_3 = \begin{aligned} &(ax_9 + c(z_9 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - \\ &b(y_9 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_9 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}} \end{aligned} & (4e) & \text{O VII} \\
\mathbf{B}_{37} &= x_{10} \mathbf{a}_1 + y_{10} \mathbf{a}_2 + z_{10} \mathbf{a}_3 = (ax_{10} + cz_{10} \cos \beta) \hat{\mathbf{x}} + by_{10} \hat{\mathbf{y}} + cz_{10} \sin \beta \hat{\mathbf{z}} & (4e) & \text{P I} \\
\mathbf{B}_{38} &= -x_{10} \mathbf{a}_1 + \left(y_{10} + \frac{1}{2}\right) \mathbf{a}_2 - \begin{aligned} &(z_{10} - \frac{1}{2}) \mathbf{a}_3 \end{aligned} = \begin{aligned} &-(ax_{10} + c(z_{10} - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + \\ &b(y_{10} + \frac{1}{2}) \hat{\mathbf{y}} - c(z_{10} - \frac{1}{2}) \sin \beta \hat{\mathbf{z}} \end{aligned} & (4e) & \text{P I} \\
\mathbf{B}_{39} &= -x_{10} \mathbf{a}_1 - y_{10} \mathbf{a}_2 - z_{10} \mathbf{a}_3 = \begin{aligned} &-(ax_{10} + cz_{10} \cos \beta) \hat{\mathbf{x}} - by_{10} \hat{\mathbf{y}} - \\ &cz_{10} \sin \beta \hat{\mathbf{z}} \end{aligned} & (4e) & \text{P I} \\
\mathbf{B}_{40} &= x_{10} \mathbf{a}_1 - \left(y_{10} - \frac{1}{2}\right) \mathbf{a}_2 + \begin{aligned} &(z_{10} + \frac{1}{2}) \mathbf{a}_3 \end{aligned} = \begin{aligned} &(ax_{10} + c(z_{10} + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - \\ &b(y_{10} - \frac{1}{2}) \hat{\mathbf{y}} + c(z_{10} + \frac{1}{2}) \sin \beta \hat{\mathbf{z}} \end{aligned} & (4e) & \text{P I} \\
\mathbf{B}_{41} &= x_{11} \mathbf{a}_1 + y_{11} \mathbf{a}_2 + z_{11} \mathbf{a}_3 = (ax_{11} + cz_{11} \cos \beta) \hat{\mathbf{x}} + by_{11} \hat{\mathbf{y}} + cz_{11} \sin \beta \hat{\mathbf{z}} & (4e) & \text{P II} \\
\mathbf{B}_{42} &= -x_{11} \mathbf{a}_1 + \left(y_{11} + \frac{1}{2}\right) \mathbf{a}_2 - \begin{aligned} &(z_{11} - \frac{1}{2}) \mathbf{a}_3 \end{aligned} = \begin{aligned} &-(ax_{11} + c(z_{11} - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + \\ &b(y_{11} + \frac{1}{2}) \hat{\mathbf{y}} - c(z_{11} - \frac{1}{2}) \sin \beta \hat{\mathbf{z}} \end{aligned} & (4e) & \text{P II} \\
\mathbf{B}_{43} &= -x_{11} \mathbf{a}_1 - y_{11} \mathbf{a}_2 - z_{11} \mathbf{a}_3 = \begin{aligned} &-(ax_{11} + cz_{11} \cos \beta) \hat{\mathbf{x}} - by_{11} \hat{\mathbf{y}} - \\ &cz_{11} \sin \beta \hat{\mathbf{z}} \end{aligned} & (4e) & \text{P II} \\
\mathbf{B}_{44} &= x_{11} \mathbf{a}_1 - \left(y_{11} - \frac{1}{2}\right) \mathbf{a}_2 + \begin{aligned} &(z_{11} + \frac{1}{2}) \mathbf{a}_3 \end{aligned} = \begin{aligned} &(ax_{11} + c(z_{11} + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - \\ &b(y_{11} - \frac{1}{2}) \hat{\mathbf{y}} + c(z_{11} + \frac{1}{2}) \sin \beta \hat{\mathbf{z}} \end{aligned} & (4e) & \text{P II}
\end{aligned}$$

References

- [1] C. Calvo, *The Crystal Structure of α -Ca₂P₂O₇*, Inorg. Chem. **7**, 1345–1351 (1968), doi:10.1021/ic50065a019.
- [2] J. Felsche, *Polymorphism and crystal data of the rare-earth disilicates of type R.E.₂Si₂O₇*, J. Less-Common Met. **21**, 1–14 (1970), doi:10.1016/0022-5088(70)90159-1.