

LiZnPO₄·H₂O Structure:





A2BC5DE_oP40_33_2a_a_5a_a_a-001

Cite this page as: H. Eckert, S. Divilov, A. Zettel, M. J. Mehl, D. Hicks, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*. In preparation.

<https://aflow.org/p/SJPR>

https://aflow.org/p/A2BC5DE_oP40_33_2a_a_5a_a_a-001





Prototype	H ₂ LiO ₅ PZn
AFLOW prototype label	A2BC5DE_oP40_33_2a_a_5a_a_a-001
ICSD	79351
Pearson symbol	oP40
Space group number	33
Space group symbol	<i>Pna</i> 2 ₁
AFLOW prototype command	<pre>aflow --proto=A2BC5DE_oP40_33_2a_a_5a_a_a-001 --params=a,b/a,c/a,x₁,y₁,z₁,x₂,y₂,z₂,x₃,y₃,z₃,x₄,y₄,z₄,x₅,y₅,z₅,x₆,y₆,z₆,x₇, y₇,z₇,x₈,y₈,z₈,x₉,y₉,z₉,x₁₀,y₁₀,z₁₀</pre>


Simple Orthorhombic primitive vectors



$$\mathbf{a}_1 = a \hat{\mathbf{x}}$$

$$\mathbf{a}_2 = b \hat{\mathbf{y}}$$

$$\mathbf{a}_3 = c \hat{\mathbf{z}}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
B₁	= $x_1 \mathbf{a}_1 + y_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	=	$ax_1 \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(4a)	H I
B₂	= $-x_1 \mathbf{a}_1 - y_1 \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_1 \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	H I
B₃	= $(x_1 + \frac{1}{2}) \mathbf{a}_1 - (y_1 - \frac{1}{2}) \mathbf{a}_2 + z_1 \mathbf{a}_3$	=	$a(x_1 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_1 - \frac{1}{2}) \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(4a)	H I
B₄	= $-(x_1 - \frac{1}{2}) \mathbf{a}_1 + (y_1 + \frac{1}{2}) \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_1 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_1 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	H I
B₅	= $x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	=	$ax_2 \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4a)	H II
B₆	= $-x_2 \mathbf{a}_1 - y_2 \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_2 \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	H II
B₇	= $(x_2 + \frac{1}{2}) \mathbf{a}_1 - (y_2 - \frac{1}{2}) \mathbf{a}_2 + z_2 \mathbf{a}_3$	=	$a(x_2 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_2 - \frac{1}{2}) \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4a)	H II
B₈	= $-(x_2 - \frac{1}{2}) \mathbf{a}_1 + (y_2 + \frac{1}{2}) \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_2 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_2 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	H II
B₉	= $x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	=	$ax_3 \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4a)	Li I
B₁₀	= $-x_3 \mathbf{a}_1 - y_3 \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_3 \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	Li I
B₁₁	= $(x_3 + \frac{1}{2}) \mathbf{a}_1 - (y_3 - \frac{1}{2}) \mathbf{a}_2 + z_3 \mathbf{a}_3$	=	$a(x_3 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_3 - \frac{1}{2}) \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4a)	Li I
B₁₂	= $-(x_3 - \frac{1}{2}) \mathbf{a}_1 + (y_3 + \frac{1}{2}) \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_3 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_3 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	Li I
B₁₃	= $x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	=	$ax_4 \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4a)	O I
B₁₄	= $-x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_4 \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O I
B₁₅	= $(x_4 + \frac{1}{2}) \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 + z_4 \mathbf{a}_3$	=	$a(x_4 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_4 - \frac{1}{2}) \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4a)	O I
B₁₆	= $-(x_4 - \frac{1}{2}) \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_4 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_4 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O I
B₁₇	= $x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	=	$ax_5 \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4a)	O II
B₁₈	= $-x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_5 \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O II
B₁₉	= $(x_5 + \frac{1}{2}) \mathbf{a}_1 - (y_5 - \frac{1}{2}) \mathbf{a}_2 + z_5 \mathbf{a}_3$	=	$a(x_5 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_5 - \frac{1}{2}) \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4a)	O II
B₂₀	= $-(x_5 - \frac{1}{2}) \mathbf{a}_1 + (y_5 + \frac{1}{2}) \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_5 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_5 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O II
B₂₁	= $x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3$	=	$ax_6 \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(4a)	O III
B₂₂	= $-x_6 \mathbf{a}_1 - y_6 \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_6 \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O III
B₂₃	= $(x_6 + \frac{1}{2}) \mathbf{a}_1 - (y_6 - \frac{1}{2}) \mathbf{a}_2 + z_6 \mathbf{a}_3$	=	$a(x_6 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_6 - \frac{1}{2}) \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(4a)	O III
B₂₄	= $-(x_6 - \frac{1}{2}) \mathbf{a}_1 + (y_6 + \frac{1}{2}) \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_6 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_6 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O III
B₂₅	= $x_7 \mathbf{a}_1 + y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3$	=	$ax_7 \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(4a)	O IV
B₂₆	= $-x_7 \mathbf{a}_1 - y_7 \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_7 \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O IV
B₂₇	= $(x_7 + \frac{1}{2}) \mathbf{a}_1 - (y_7 - \frac{1}{2}) \mathbf{a}_2 + z_7 \mathbf{a}_3$	=	$a(x_7 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_7 - \frac{1}{2}) \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(4a)	O IV
B₂₈	= $-(x_7 - \frac{1}{2}) \mathbf{a}_1 + (y_7 + \frac{1}{2}) \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_7 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_7 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O IV
B₂₉	= $x_8 \mathbf{a}_1 + y_8 \mathbf{a}_2 + z_8 \mathbf{a}_3$	=	$ax_8 \hat{\mathbf{x}} + by_8 \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}}$	(4a)	O V
B₃₀	= $-x_8 \mathbf{a}_1 - y_8 \mathbf{a}_2 + (z_8 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_8 \hat{\mathbf{x}} - by_8 \hat{\mathbf{y}} + c(z_8 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O V
B₃₁	= $(x_8 + \frac{1}{2}) \mathbf{a}_1 - (y_8 - \frac{1}{2}) \mathbf{a}_2 + z_8 \mathbf{a}_3$	=	$a(x_8 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_8 - \frac{1}{2}) \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}}$	(4a)	O V
B₃₂	= $-(x_8 - \frac{1}{2}) \mathbf{a}_1 + (y_8 + \frac{1}{2}) \mathbf{a}_2 + (z_8 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_8 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_8 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_8 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O V

$$\begin{aligned}
\mathbf{B}_{33} &= x_9 \mathbf{a}_1 + y_9 \mathbf{a}_2 + z_9 \mathbf{a}_3 & = & ax_9 \hat{\mathbf{x}} + by_9 \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}} & (4a) & \text{P I} \\
\mathbf{B}_{34} &= -x_9 \mathbf{a}_1 - y_9 \mathbf{a}_2 + (z_9 + \frac{1}{2}) \mathbf{a}_3 & = & -ax_9 \hat{\mathbf{x}} - by_9 \hat{\mathbf{y}} + c(z_9 + \frac{1}{2}) \hat{\mathbf{z}} & (4a) & \text{P I} \\
\mathbf{B}_{35} &= (x_9 + \frac{1}{2}) \mathbf{a}_1 - (y_9 - \frac{1}{2}) \mathbf{a}_2 + z_9 \mathbf{a}_3 & = & a(x_9 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_9 - \frac{1}{2}) \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}} & (4a) & \text{P I} \\
\mathbf{B}_{36} &= -(x_9 - \frac{1}{2}) \mathbf{a}_1 + (y_9 + \frac{1}{2}) \mathbf{a}_2 + (z_9 + \frac{1}{2}) \mathbf{a}_3 & = & -a(x_9 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_9 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_9 + \frac{1}{2}) \hat{\mathbf{z}} & (4a) & \text{P I} \\
\mathbf{B}_{37} &= x_{10} \mathbf{a}_1 + y_{10} \mathbf{a}_2 + z_{10} \mathbf{a}_3 & = & ax_{10} \hat{\mathbf{x}} + by_{10} \hat{\mathbf{y}} + cz_{10} \hat{\mathbf{z}} & (4a) & \text{Zn I} \\
\mathbf{B}_{38} &= -x_{10} \mathbf{a}_1 - y_{10} \mathbf{a}_2 + (z_{10} + \frac{1}{2}) \mathbf{a}_3 & = & -ax_{10} \hat{\mathbf{x}} - by_{10} \hat{\mathbf{y}} + c(z_{10} + \frac{1}{2}) \hat{\mathbf{z}} & (4a) & \text{Zn I} \\
\mathbf{B}_{39} &= (x_{10} + \frac{1}{2}) \mathbf{a}_1 - (y_{10} - \frac{1}{2}) \mathbf{a}_2 + z_{10} \mathbf{a}_3 & = & a(x_{10} + \frac{1}{2}) \hat{\mathbf{x}} - b(y_{10} - \frac{1}{2}) \hat{\mathbf{y}} + cz_{10} \hat{\mathbf{z}} & (4a) & \text{Zn I} \\
\mathbf{B}_{40} &= -(x_{10} - \frac{1}{2}) \mathbf{a}_1 + (y_{10} + \frac{1}{2}) \mathbf{a}_2 + (z_{10} + \frac{1}{2}) \mathbf{a}_3 & = & -a(x_{10} - \frac{1}{2}) \hat{\mathbf{x}} + b(y_{10} + \frac{1}{2}) \hat{\mathbf{y}} + c(z_{10} + \frac{1}{2}) \hat{\mathbf{z}} & (4a) & \text{Zn I}
\end{aligned}$$

References

- [1] W. T. A. Harrison, T. E. Gier, J. M. Nicol, and G. D. Stucky, *Tetrahedral-Framework Lithium Zinc Phosphate Phases: Location of Light-Atom Positions in LiZnPO₄·H₂O by Powder Neutron Diffraction and Structure Determination of LiZnPO₄ by ab initio Methods*, J. Solid State Chem. **114**, 249–257 (1995), doi:10.1006/jssc.1995.1036.

Found in

- [1] X. Bu, T. E. Gier, and G. D. Stucky, *A New Form of Lithium Zinc Phosphate with an Ordered Phenakite Structure, LiZnPO₄*, Acta Crystallogr. Sect. C **52**, 1601–1603 (1996), doi:10.1107/S0108270195015940.