

# CsB<sub>4</sub>O<sub>6</sub>F Structure:


## A4BCD6\_oP48\_33\_4a\_a\_a\_6a-001

This structure originally had the label A4BCD6\_oP48\_33\_4a\_a\_a\_6a. Calls to that address will be redirected here.

Cite this page as: D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/p/Z0HT>


[https://aflow.org/p/A4BCD6\\_oP48\\_33\\_4a\\_a\\_a\\_6a-001](https://aflow.org/p/A4BCD6_oP48_33_4a_a_a_6a-001)



Prototype	B <sub>4</sub> CsFO <sub>6</sub>
AFLOW prototype label	A4BCD6_oP48_33_4a_a_a_6a-001
CCDC	1551261
Pearson symbol	oP48
Space group number	33
Space group symbol	$Pna2_1$
AFLOW prototype command	<pre>aflow --proto=A4BCD6_oP48_33_4a_a_a_6a-001 --params=a,b/a,c/a,x1,y1,z1,x2,y2,z2,x3,y3,z3,x4,y4,z4,x5,y5,z5,x6,y6,z6,x7, y7,z7,x8,y8,z8,x9,y9,z9,x10,y10,z10,x11,y11,z11,x12,y12,z12</pre>

### Simple Orthorhombic primitive vectors

$$\begin{aligned}\mathbf{a}_1 &= a \hat{\mathbf{x}} \\ \mathbf{a}_2 &= b \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \hat{\mathbf{z}}\end{aligned}$$



## Basis vectors

	Lattice coordinates	=	Cartesian coordinates	Wyckoff position	Atom type
<b>B<sub>1</sub></b>	$x_1 \mathbf{a}_1 + y_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	=	$ax_1 \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(4a)	B I
<b>B<sub>2</sub></b>	$-x_1 \mathbf{a}_1 - y_1 \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_1 \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	B I
<b>B<sub>3</sub></b>	$(x_1 + \frac{1}{2}) \mathbf{a}_1 - (y_1 - \frac{1}{2}) \mathbf{a}_2 + z_1 \mathbf{a}_3$	=	$a(x_1 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_1 - \frac{1}{2}) \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(4a)	B I
<b>B<sub>4</sub></b>	$-(x_1 - \frac{1}{2}) \mathbf{a}_1 + (y_1 + \frac{1}{2}) \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_1 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_1 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	B I
<b>B<sub>5</sub></b>	$x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	=	$ax_2 \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4a)	B II
<b>B<sub>6</sub></b>	$-x_2 \mathbf{a}_1 - y_2 \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_2 \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	B II
<b>B<sub>7</sub></b>	$(x_2 + \frac{1}{2}) \mathbf{a}_1 - (y_2 - \frac{1}{2}) \mathbf{a}_2 + z_2 \mathbf{a}_3$	=	$a(x_2 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_2 - \frac{1}{2}) \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4a)	B II
<b>B<sub>8</sub></b>	$-(x_2 - \frac{1}{2}) \mathbf{a}_1 + (y_2 + \frac{1}{2}) \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_2 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_2 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	B II
<b>B<sub>9</sub></b>	$x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	=	$ax_3 \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4a)	B III
<b>B<sub>10</sub></b>	$-x_3 \mathbf{a}_1 - y_3 \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_3 \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	B III
<b>B<sub>11</sub></b>	$(x_3 + \frac{1}{2}) \mathbf{a}_1 - (y_3 - \frac{1}{2}) \mathbf{a}_2 + z_3 \mathbf{a}_3$	=	$a(x_3 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_3 - \frac{1}{2}) \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4a)	B III
<b>B<sub>12</sub></b>	$-(x_3 - \frac{1}{2}) \mathbf{a}_1 + (y_3 + \frac{1}{2}) \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_3 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_3 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	B III
<b>B<sub>13</sub></b>	$x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	=	$ax_4 \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4a)	B IV
<b>B<sub>14</sub></b>	$-x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_4 \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	B IV
<b>B<sub>15</sub></b>	$(x_4 + \frac{1}{2}) \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 + z_4 \mathbf{a}_3$	=	$a(x_4 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_4 - \frac{1}{2}) \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4a)	B IV
<b>B<sub>16</sub></b>	$-(x_4 - \frac{1}{2}) \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_4 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_4 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	B IV
<b>B<sub>17</sub></b>	$x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	=	$ax_5 \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4a)	Cs I
<b>B<sub>18</sub></b>	$-x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_5 \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	Cs I
<b>B<sub>19</sub></b>	$(x_5 + \frac{1}{2}) \mathbf{a}_1 - (y_5 - \frac{1}{2}) \mathbf{a}_2 + z_5 \mathbf{a}_3$	=	$a(x_5 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_5 - \frac{1}{2}) \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4a)	Cs I
<b>B<sub>20</sub></b>	$-(x_5 - \frac{1}{2}) \mathbf{a}_1 + (y_5 + \frac{1}{2}) \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_5 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_5 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	Cs I
<b>B<sub>21</sub></b>	$x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3$	=	$ax_6 \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(4a)	F I
<b>B<sub>22</sub></b>	$-x_6 \mathbf{a}_1 - y_6 \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_6 \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	F I
<b>B<sub>23</sub></b>	$(x_6 + \frac{1}{2}) \mathbf{a}_1 - (y_6 - \frac{1}{2}) \mathbf{a}_2 + z_6 \mathbf{a}_3$	=	$a(x_6 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_6 - \frac{1}{2}) \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(4a)	F I
<b>B<sub>24</sub></b>	$-(x_6 - \frac{1}{2}) \mathbf{a}_1 + (y_6 + \frac{1}{2}) \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_6 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_6 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	F I
<b>B<sub>25</sub></b>	$x_7 \mathbf{a}_1 + y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3$	=	$ax_7 \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(4a)	O I
<b>B<sub>26</sub></b>	$-x_7 \mathbf{a}_1 - y_7 \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_7 \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O I
<b>B<sub>27</sub></b>	$(x_7 + \frac{1}{2}) \mathbf{a}_1 - (y_7 - \frac{1}{2}) \mathbf{a}_2 + z_7 \mathbf{a}_3$	=	$a(x_7 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_7 - \frac{1}{2}) \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(4a)	O I
<b>B<sub>28</sub></b>	$-(x_7 - \frac{1}{2}) \mathbf{a}_1 + (y_7 + \frac{1}{2}) \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_7 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_7 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O I
<b>B<sub>29</sub></b>	$x_8 \mathbf{a}_1 + y_8 \mathbf{a}_2 + z_8 \mathbf{a}_3$	=	$ax_8 \hat{\mathbf{x}} + by_8 \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}}$	(4a)	O II
<b>B<sub>30</sub></b>	$-x_8 \mathbf{a}_1 - y_8 \mathbf{a}_2 + (z_8 + \frac{1}{2}) \mathbf{a}_3$	=	$-ax_8 \hat{\mathbf{x}} - by_8 \hat{\mathbf{y}} + c(z_8 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O II
<b>B<sub>31</sub></b>	$(x_8 + \frac{1}{2}) \mathbf{a}_1 - (y_8 - \frac{1}{2}) \mathbf{a}_2 + z_8 \mathbf{a}_3$	=	$a(x_8 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_8 - \frac{1}{2}) \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}}$	(4a)	O II
<b>B<sub>32</sub></b>	$-(x_8 - \frac{1}{2}) \mathbf{a}_1 + (y_8 + \frac{1}{2}) \mathbf{a}_2 + (z_8 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_8 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_8 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_8 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O II

$\mathbf{B}_{33}$	$x_9 \mathbf{a}_1 + y_9 \mathbf{a}_2 + z_9 \mathbf{a}_3$	$=$	$ax_9 \hat{\mathbf{x}} + by_9 \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}}$	(4a)	O III
$\mathbf{B}_{34}$	$-x_9 \mathbf{a}_1 - y_9 \mathbf{a}_2 + (z_9 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-ax_9 \hat{\mathbf{x}} - by_9 \hat{\mathbf{y}} + c(z_9 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O III
$\mathbf{B}_{35}$	$(x_9 + \frac{1}{2}) \mathbf{a}_1 - (y_9 - \frac{1}{2}) \mathbf{a}_2 + z_9 \mathbf{a}_3$	$=$	$a(x_9 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_9 - \frac{1}{2}) \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}}$	(4a)	O III
$\mathbf{B}_{36}$	$-(x_9 - \frac{1}{2}) \mathbf{a}_1 + (y_9 + \frac{1}{2}) \mathbf{a}_2 + (z_9 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_9 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_9 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_9 + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O III
$\mathbf{B}_{37}$	$x_{10} \mathbf{a}_1 + y_{10} \mathbf{a}_2 + z_{10} \mathbf{a}_3$	$=$	$ax_{10} \hat{\mathbf{x}} + by_{10} \hat{\mathbf{y}} + cz_{10} \hat{\mathbf{z}}$	(4a)	O IV
$\mathbf{B}_{38}$	$-x_{10} \mathbf{a}_1 - y_{10} \mathbf{a}_2 + (z_{10} + \frac{1}{2}) \mathbf{a}_3$	$=$	$-ax_{10} \hat{\mathbf{x}} - by_{10} \hat{\mathbf{y}} + c(z_{10} + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O IV
$\mathbf{B}_{39}$	$(x_{10} + \frac{1}{2}) \mathbf{a}_1 - (y_{10} - \frac{1}{2}) \mathbf{a}_2 + z_{10} \mathbf{a}_3$	$=$	$a(x_{10} + \frac{1}{2}) \hat{\mathbf{x}} - b(y_{10} - \frac{1}{2}) \hat{\mathbf{y}} + cz_{10} \hat{\mathbf{z}}$	(4a)	O IV
$\mathbf{B}_{40}$	$-(x_{10} - \frac{1}{2}) \mathbf{a}_1 + (y_{10} + \frac{1}{2}) \mathbf{a}_2 + (z_{10} + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_{10} - \frac{1}{2}) \hat{\mathbf{x}} + b(y_{10} + \frac{1}{2}) \hat{\mathbf{y}} + c(z_{10} + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O IV
$\mathbf{B}_{41}$	$x_{11} \mathbf{a}_1 + y_{11} \mathbf{a}_2 + z_{11} \mathbf{a}_3$	$=$	$ax_{11} \hat{\mathbf{x}} + by_{11} \hat{\mathbf{y}} + cz_{11} \hat{\mathbf{z}}$	(4a)	O V
$\mathbf{B}_{42}$	$-x_{11} \mathbf{a}_1 - y_{11} \mathbf{a}_2 + (z_{11} + \frac{1}{2}) \mathbf{a}_3$	$=$	$-ax_{11} \hat{\mathbf{x}} - by_{11} \hat{\mathbf{y}} + c(z_{11} + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O V
$\mathbf{B}_{43}$	$(x_{11} + \frac{1}{2}) \mathbf{a}_1 - (y_{11} - \frac{1}{2}) \mathbf{a}_2 + z_{11} \mathbf{a}_3$	$=$	$a(x_{11} + \frac{1}{2}) \hat{\mathbf{x}} - b(y_{11} - \frac{1}{2}) \hat{\mathbf{y}} + cz_{11} \hat{\mathbf{z}}$	(4a)	O V
$\mathbf{B}_{44}$	$-(x_{11} - \frac{1}{2}) \mathbf{a}_1 + (y_{11} + \frac{1}{2}) \mathbf{a}_2 + (z_{11} + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_{11} - \frac{1}{2}) \hat{\mathbf{x}} + b(y_{11} + \frac{1}{2}) \hat{\mathbf{y}} + c(z_{11} + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O V
$\mathbf{B}_{45}$	$x_{12} \mathbf{a}_1 + y_{12} \mathbf{a}_2 + z_{12} \mathbf{a}_3$	$=$	$ax_{12} \hat{\mathbf{x}} + by_{12} \hat{\mathbf{y}} + cz_{12} \hat{\mathbf{z}}$	(4a)	O VI
$\mathbf{B}_{46}$	$-x_{12} \mathbf{a}_1 - y_{12} \mathbf{a}_2 + (z_{12} + \frac{1}{2}) \mathbf{a}_3$	$=$	$-ax_{12} \hat{\mathbf{x}} - by_{12} \hat{\mathbf{y}} + c(z_{12} + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O VI
$\mathbf{B}_{47}$	$(x_{12} + \frac{1}{2}) \mathbf{a}_1 - (y_{12} - \frac{1}{2}) \mathbf{a}_2 + z_{12} \mathbf{a}_3$	$=$	$a(x_{12} + \frac{1}{2}) \hat{\mathbf{x}} - b(y_{12} - \frac{1}{2}) \hat{\mathbf{y}} + cz_{12} \hat{\mathbf{z}}$	(4a)	O VI
$\mathbf{B}_{48}$	$-(x_{12} - \frac{1}{2}) \mathbf{a}_1 + (y_{12} + \frac{1}{2}) \mathbf{a}_2 + (z_{12} + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_{12} - \frac{1}{2}) \hat{\mathbf{x}} + b(y_{12} + \frac{1}{2}) \hat{\mathbf{y}} + c(z_{12} + \frac{1}{2}) \hat{\mathbf{z}}$	(4a)	O VI

## References

- [1] X. Wang, Y. Wang, B. Zhang, F. Zhang, Z. Yang, and S. Pan, *CsB<sub>4</sub>O<sub>6</sub>F: A Congruent-Melting Deep-Ultraviolet Nonlinear Optical Material by Combining Superior Functional Units*, *Angew. Chem. Int. Ed.* **56**, 13901–14314 (2017), doi:10.1002/anie.201708231.