


# KICl<sub>4</sub>·H<sub>2</sub>O (*H*0<sub>10</sub>) Structure: A4BCD\_mP28\_14\_4e\_e\_e\_e-001

This structure originally had the label A4BCD\_mP28\_14\_4e\_e\_e\_e. Calls to that address will be redirected here.

Cite this page as: D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/p/YLSG>

[https://aflow.org/p/A4BCD\\_mP28\\_14\\_4e\\_e\\_e\\_e-001](https://aflow.org/p/A4BCD_mP28_14_4e_e_e_e-001)





Prototype	Cl <sub>4</sub> (H <sub>2</sub> O)IK
AFLOW prototype label	A4BCD_mP28_14_4e_e_e_e-001
<i>Strukturbericht</i> designation	<i>H</i> 0 <sub>10</sub>
ICSD	18206
Pearson symbol	mP28
Space group number	14
Space group symbol	<i>P</i> 2 <sub>1</sub> / <i>c</i>
AFLOW prototype command	<pre>aflow --proto=A4BCD_mP28_14_4e_e_e_e-001       --params=a,b/a,c/a,β,x<sub>1</sub>,y<sub>1</sub>,z<sub>1</sub>,x<sub>2</sub>,y<sub>2</sub>,z<sub>2</sub>,x<sub>3</sub>,y<sub>3</sub>,z<sub>3</sub>,x<sub>4</sub>,y<sub>4</sub>,z<sub>4</sub>,x<sub>5</sub>,y<sub>5</sub>,z<sub>5</sub>,x<sub>6</sub>,y<sub>6</sub>,z<sub>6</sub>,x<sub>7</sub>,y<sub>7</sub>,z<sub>7</sub></pre>

- The structure of  $\text{KICl}_4$  was originally determined by (Mooney, 1938) and assigned *Strukturbericht* designation  $H0_{10}$  by (Herrmann, 1941). “During Mooney’s structure determination of  $\text{KICl}_4 \cdot \text{H}_2\text{O}$  it was not realized that the crystals contain water of crystallization.” (Elema, 1963) The correct structure is essentially the same as Mooney’s with water molecules added into the vacancies, and we use  $\text{KICl}_4 \cdot \text{H}_2\text{O}$  as our prototype for  $H0_{10}$ . To return to Mooney’s structure, remove the water molecules, but of course this will not be a stable structure.
- The Wyckoff positions given by both (Mooney, 1938) and (Elema, 1963) are in the  $P2_1/n$  setting of space group #14. We have used FINDSYM to translate this to the standard  $P2_1/c$  setting.

---

### Simple Monoclinic primitive vectors

$$\begin{aligned} \mathbf{a}_1 &= \hat{x} \\ \mathbf{a}_2 &= \hat{y} \\ \mathbf{a}_3 &= c \cos \beta \hat{x} + c \sin \beta \hat{z} \end{aligned}$$




---

### Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$x_1 \mathbf{a}_1 + y_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	=	$(ax_1 + cz_1 \cos \beta) \hat{x} + by_1 \hat{y} + cz_1 \sin \beta \hat{z}$	(4e)	Cl I
$\mathbf{B}_2$	$-x_1 \mathbf{a}_1 + (y_1 + \frac{1}{2}) \mathbf{a}_2 - (z_1 - \frac{1}{2}) \mathbf{a}_3$	=	$-(ax_1 + c(z_1 - \frac{1}{2}) \cos \beta) \hat{x} + b(y_1 + \frac{1}{2}) \hat{y} - c(z_1 - \frac{1}{2}) \sin \beta \hat{z}$	(4e)	Cl I
$\mathbf{B}_3$	$-x_1 \mathbf{a}_1 - y_1 \mathbf{a}_2 - z_1 \mathbf{a}_3$	=	$-(ax_1 + cz_1 \cos \beta) \hat{x} - by_1 \hat{y} - cz_1 \sin \beta \hat{z}$	(4e)	Cl I
$\mathbf{B}_4$	$x_1 \mathbf{a}_1 - (y_1 - \frac{1}{2}) \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	=	$(ax_1 + c(z_1 + \frac{1}{2}) \cos \beta) \hat{x} - b(y_1 - \frac{1}{2}) \hat{y} + c(z_1 + \frac{1}{2}) \sin \beta \hat{z}$	(4e)	Cl I
$\mathbf{B}_5$	$x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	=	$(ax_2 + cz_2 \cos \beta) \hat{x} + by_2 \hat{y} + cz_2 \sin \beta \hat{z}$	(4e)	Cl II
$\mathbf{B}_6$	$-x_2 \mathbf{a}_1 + (y_2 + \frac{1}{2}) \mathbf{a}_2 - (z_2 - \frac{1}{2}) \mathbf{a}_3$	=	$-(ax_2 + c(z_2 - \frac{1}{2}) \cos \beta) \hat{x} + b(y_2 + \frac{1}{2}) \hat{y} - c(z_2 - \frac{1}{2}) \sin \beta \hat{z}$	(4e)	Cl II
$\mathbf{B}_7$	$-x_2 \mathbf{a}_1 - y_2 \mathbf{a}_2 - z_2 \mathbf{a}_3$	=	$-(ax_2 + cz_2 \cos \beta) \hat{x} - by_2 \hat{y} - cz_2 \sin \beta \hat{z}$	(4e)	Cl II
$\mathbf{B}_8$	$x_2 \mathbf{a}_1 - (y_2 - \frac{1}{2}) \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	=	$(ax_2 + c(z_2 + \frac{1}{2}) \cos \beta) \hat{x} - b(y_2 - \frac{1}{2}) \hat{y} + c(z_2 + \frac{1}{2}) \sin \beta \hat{z}$	(4e)	Cl II
$\mathbf{B}_9$	$x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	=	$(ax_3 + cz_3 \cos \beta) \hat{x} + by_3 \hat{y} + cz_3 \sin \beta \hat{z}$	(4e)	Cl III
$\mathbf{B}_{10}$	$-x_3 \mathbf{a}_1 + (y_3 + \frac{1}{2}) \mathbf{a}_2 - (z_3 - \frac{1}{2}) \mathbf{a}_3$	=	$-(ax_3 + c(z_3 - \frac{1}{2}) \cos \beta) \hat{x} + b(y_3 + \frac{1}{2}) \hat{y} - c(z_3 - \frac{1}{2}) \sin \beta \hat{z}$	(4e)	Cl III
$\mathbf{B}_{11}$	$-x_3 \mathbf{a}_1 - y_3 \mathbf{a}_2 - z_3 \mathbf{a}_3$	=	$-(ax_3 + cz_3 \cos \beta) \hat{x} - by_3 \hat{y} - cz_3 \sin \beta \hat{z}$	(4e)	Cl III
$\mathbf{B}_{12}$	$x_3 \mathbf{a}_1 - (y_3 - \frac{1}{2}) \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	=	$(ax_3 + c(z_3 + \frac{1}{2}) \cos \beta) \hat{x} - b(y_3 - \frac{1}{2}) \hat{y} + c(z_3 + \frac{1}{2}) \sin \beta \hat{z}$	(4e)	Cl III
$\mathbf{B}_{13}$	$x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	=	$(ax_4 + cz_4 \cos \beta) \hat{x} + by_4 \hat{y} + cz_4 \sin \beta \hat{z}$	(4e)	Cl IV
$\mathbf{B}_{14}$	$-x_4 \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 - (z_4 - \frac{1}{2}) \mathbf{a}_3$	=	$-(ax_4 + c(z_4 - \frac{1}{2}) \cos \beta) \hat{x} + b(y_4 + \frac{1}{2}) \hat{y} - c(z_4 - \frac{1}{2}) \sin \beta \hat{z}$	(4e)	Cl IV
$\mathbf{B}_{15}$	$-x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 - z_4 \mathbf{a}_3$	=	$-(ax_4 + cz_4 \cos \beta) \hat{x} - by_4 \hat{y} - cz_4 \sin \beta \hat{z}$	(4e)	Cl IV
$\mathbf{B}_{16}$	$x_4 \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	=	$(ax_4 + c(z_4 + \frac{1}{2}) \cos \beta) \hat{x} - b(y_4 - \frac{1}{2}) \hat{y} + c(z_4 + \frac{1}{2}) \sin \beta \hat{z}$	(4e)	Cl IV
$\mathbf{B}_{17}$	$x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	=	$(ax_5 + cz_5 \cos \beta) \hat{x} + by_5 \hat{y} + cz_5 \sin \beta \hat{z}$	(4e)	H I

$$\begin{aligned}
\mathbf{B}_{18} &= -x_5 \mathbf{a}_1 + \left(y_5 + \frac{1}{2}\right) \mathbf{a}_2 - (z_5 - \frac{1}{2}) \mathbf{a}_3 &= -\left(ax_5 + c\left(z_5 - \frac{1}{2}\right) \cos \beta\right) \hat{\mathbf{x}} + b\left(y_5 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_5 - \frac{1}{2}\right) \sin \beta \hat{\mathbf{z}} &(4e) & \text{H I} \\
\mathbf{B}_{19} &= -x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 - z_5 \mathbf{a}_3 &= -(ax_5 + cz_5 \cos \beta) \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} - cz_5 \sin \beta \hat{\mathbf{z}} &(4e) & \text{H I} \\
\mathbf{B}_{20} &= x_5 \mathbf{a}_1 - \left(y_5 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_5 + \frac{1}{2}\right) \mathbf{a}_3 &= \left(ax_5 + c\left(z_5 + \frac{1}{2}\right) \cos \beta\right) \hat{\mathbf{x}} - b\left(y_5 - \frac{1}{2}\right) \hat{\mathbf{y}} + c\left(z_5 + \frac{1}{2}\right) \sin \beta \hat{\mathbf{z}} &(4e) & \text{H I} \\
\mathbf{B}_{21} &= x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3 &= (ax_6 + cz_6 \cos \beta) \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} + cz_6 \sin \beta \hat{\mathbf{z}} &(4e) & \text{I I} \\
\mathbf{B}_{22} &= -x_6 \mathbf{a}_1 + \left(y_6 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_6 - \frac{1}{2}\right) \mathbf{a}_3 &= -(ax_6 + c\left(z_6 - \frac{1}{2}\right) \cos \beta) \hat{\mathbf{x}} + b\left(y_6 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_6 - \frac{1}{2}\right) \sin \beta \hat{\mathbf{z}} &(4e) & \text{I I} \\
\mathbf{B}_{23} &= -x_6 \mathbf{a}_1 - y_6 \mathbf{a}_2 - z_6 \mathbf{a}_3 &= -(ax_6 + cz_6 \cos \beta) \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} - cz_6 \sin \beta \hat{\mathbf{z}} &(4e) & \text{I I} \\
\mathbf{B}_{24} &= x_6 \mathbf{a}_1 - \left(y_6 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_6 + \frac{1}{2}\right) \mathbf{a}_3 &= \left(ax_6 + c\left(z_6 + \frac{1}{2}\right) \cos \beta\right) \hat{\mathbf{x}} - b\left(y_6 - \frac{1}{2}\right) \hat{\mathbf{y}} + c\left(z_6 + \frac{1}{2}\right) \sin \beta \hat{\mathbf{z}} &(4e) & \text{I I} \\
\mathbf{B}_{25} &= x_7 \mathbf{a}_1 + y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3 &= (ax_7 + cz_7 \cos \beta) \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} + cz_7 \sin \beta \hat{\mathbf{z}} &(4e) & \text{K I} \\
\mathbf{B}_{26} &= -x_7 \mathbf{a}_1 + \left(y_7 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_7 - \frac{1}{2}\right) \mathbf{a}_3 &= -(ax_7 + c\left(z_7 - \frac{1}{2}\right) \cos \beta) \hat{\mathbf{x}} + b\left(y_7 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_7 - \frac{1}{2}\right) \sin \beta \hat{\mathbf{z}} &(4e) & \text{K I} \\
\mathbf{B}_{27} &= -x_7 \mathbf{a}_1 - y_7 \mathbf{a}_2 - z_7 \mathbf{a}_3 &= -(ax_7 + cz_7 \cos \beta) \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} - cz_7 \sin \beta \hat{\mathbf{z}} &(4e) & \text{K I} \\
\mathbf{B}_{28} &= x_7 \mathbf{a}_1 - \left(y_7 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_7 + \frac{1}{2}\right) \mathbf{a}_3 &= \left(ax_7 + c\left(z_7 + \frac{1}{2}\right) \cos \beta\right) \hat{\mathbf{x}} - b\left(y_7 - \frac{1}{2}\right) \hat{\mathbf{y}} + c\left(z_7 + \frac{1}{2}\right) \sin \beta \hat{\mathbf{z}} &(4e) & \text{K I}
\end{aligned}$$

## References

- [1] R. J. Elema, J. L. de Boer, and A. Vos, *The refinement of the crystal structure of  $K\text{ICl}_4 \cdot \text{H}_2\text{O}$* , Acta Cryst. **16**, 243–247 (1963), doi:10.1107/S0365110X63000682.
- [2] R. C. L. Mooney, *The Configuration of a Penthalogen Anion Group from the X-ray Structure Determination of Potassium Tetra-Chloriodide Crystals*, Zeitschrift für Kristallographie **98**, 377–393 (1938), doi:10.1524/zkri.1938.98.1.377.
- [3] K. Herrmann, ed., *Strukturbericht Band VI 1938* (Akademische Verlagsgesellschaft M. B. H., Leipzig, 1941).