


ReP₄ Structure:

A4B_oP40_61_4c_c-001

Cite this page as: H. Eckert, S. Divilov, A. Zettel, M. J. Mehl, D. Hicks, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*. In preparation.

<https://aflow.org/p/3PB1>


https://aflow.org/p/A4B_oP40_61_4c_c-001



Prototype	P ₄ Re
AFLOW prototype label	A4B_oP40_61_4c_c-001
ICSD	8197
Pearson symbol	oP40
Space group number	61
Space group symbol	<i>Pbca</i>
AFLOW prototype command	<pre>aflow --proto=A4B_oP40_61_4c_c-001 --params=a, b/a, c/a, x1, y1, z1, x2, y2, z2, x3, y3, z3, x4, y4, z4, x5, y5, z5</pre>

Simple Orthorhombic primitive vectors

$$\begin{aligned} \mathbf{a}_1 &= a \hat{\mathbf{x}} \\ \mathbf{a}_2 &= b \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \hat{\mathbf{z}} \end{aligned}$$



Basis vectors

	Lattice coordinates	=	Cartesian coordinates	Wyckoff position	Atom type
B₁	$x_1 \mathbf{a}_1 + y_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	=	$ax_1 \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(8c)	P I
B₂	$-(x_1 - \frac{1}{2}) \mathbf{a}_1 - y_1 \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_1 - \frac{1}{2}) \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P I
B₃	$-x_1 \mathbf{a}_1 + (y_1 + \frac{1}{2}) \mathbf{a}_2 - (z_1 - \frac{1}{2}) \mathbf{a}_3$	=	$-ax_1 \hat{\mathbf{x}} + b(y_1 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_1 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P I
B₄	$(x_1 + \frac{1}{2}) \mathbf{a}_1 - (y_1 - \frac{1}{2}) \mathbf{a}_2 - z_1 \mathbf{a}_3$	=	$a(x_1 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_1 - \frac{1}{2}) \hat{\mathbf{y}} - cz_1 \hat{\mathbf{z}}$	(8c)	P I
B₅	$-x_1 \mathbf{a}_1 - y_1 \mathbf{a}_2 - z_1 \mathbf{a}_3$	=	$-ax_1 \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} - cz_1 \hat{\mathbf{z}}$	(8c)	P I
B₆	$(x_1 + \frac{1}{2}) \mathbf{a}_1 + y_1 \mathbf{a}_2 - (z_1 - \frac{1}{2}) \mathbf{a}_3$	=	$a(x_1 + \frac{1}{2}) \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} - c(z_1 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P I
B₇	$x_1 \mathbf{a}_1 - (y_1 - \frac{1}{2}) \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	=	$ax_1 \hat{\mathbf{x}} - b(y_1 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P I
B₈	$-(x_1 - \frac{1}{2}) \mathbf{a}_1 + (y_1 + \frac{1}{2}) \mathbf{a}_2 + z_1 \mathbf{a}_3$	=	$-a(x_1 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_1 + \frac{1}{2}) \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(8c)	P I
B₉	$x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	=	$ax_2 \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(8c)	P II
B₁₀	$-(x_2 - \frac{1}{2}) \mathbf{a}_1 - y_2 \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_2 - \frac{1}{2}) \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P II
B₁₁	$-x_2 \mathbf{a}_1 + (y_2 + \frac{1}{2}) \mathbf{a}_2 - (z_2 - \frac{1}{2}) \mathbf{a}_3$	=	$-ax_2 \hat{\mathbf{x}} + b(y_2 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_2 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P II
B₁₂	$(x_2 + \frac{1}{2}) \mathbf{a}_1 - (y_2 - \frac{1}{2}) \mathbf{a}_2 - z_2 \mathbf{a}_3$	=	$a(x_2 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_2 - \frac{1}{2}) \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(8c)	P II
B₁₃	$-x_2 \mathbf{a}_1 - y_2 \mathbf{a}_2 - z_2 \mathbf{a}_3$	=	$-ax_2 \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(8c)	P II
B₁₄	$(x_2 + \frac{1}{2}) \mathbf{a}_1 + y_2 \mathbf{a}_2 - (z_2 - \frac{1}{2}) \mathbf{a}_3$	=	$a(x_2 + \frac{1}{2}) \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} - c(z_2 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P II
B₁₅	$x_2 \mathbf{a}_1 - (y_2 - \frac{1}{2}) \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	=	$ax_2 \hat{\mathbf{x}} - b(y_2 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P II
B₁₆	$-(x_2 - \frac{1}{2}) \mathbf{a}_1 + (y_2 + \frac{1}{2}) \mathbf{a}_2 + z_2 \mathbf{a}_3$	=	$-a(x_2 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_2 + \frac{1}{2}) \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(8c)	P II
B₁₇	$x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	=	$ax_3 \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(8c)	P III
B₁₈	$-(x_3 - \frac{1}{2}) \mathbf{a}_1 - y_3 \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_3 - \frac{1}{2}) \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P III
B₁₉	$-x_3 \mathbf{a}_1 + (y_3 + \frac{1}{2}) \mathbf{a}_2 - (z_3 - \frac{1}{2}) \mathbf{a}_3$	=	$-ax_3 \hat{\mathbf{x}} + b(y_3 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_3 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P III
B₂₀	$(x_3 + \frac{1}{2}) \mathbf{a}_1 - (y_3 - \frac{1}{2}) \mathbf{a}_2 - z_3 \mathbf{a}_3$	=	$a(x_3 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_3 - \frac{1}{2}) \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	(8c)	P III
B₂₁	$-x_3 \mathbf{a}_1 - y_3 \mathbf{a}_2 - z_3 \mathbf{a}_3$	=	$-ax_3 \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	(8c)	P III
B₂₂	$(x_3 + \frac{1}{2}) \mathbf{a}_1 + y_3 \mathbf{a}_2 - (z_3 - \frac{1}{2}) \mathbf{a}_3$	=	$a(x_3 + \frac{1}{2}) \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} - c(z_3 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P III
B₂₃	$x_3 \mathbf{a}_1 - (y_3 - \frac{1}{2}) \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	=	$ax_3 \hat{\mathbf{x}} - b(y_3 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P III
B₂₄	$-(x_3 - \frac{1}{2}) \mathbf{a}_1 + (y_3 + \frac{1}{2}) \mathbf{a}_2 + z_3 \mathbf{a}_3$	=	$-a(x_3 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_3 + \frac{1}{2}) \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(8c)	P III
B₂₅	$x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	=	$ax_4 \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(8c)	P IV
B₂₆	$-(x_4 - \frac{1}{2}) \mathbf{a}_1 - y_4 \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	=	$-a(x_4 - \frac{1}{2}) \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P IV
B₂₇	$-x_4 \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 - (z_4 - \frac{1}{2}) \mathbf{a}_3$	=	$-ax_4 \hat{\mathbf{x}} + b(y_4 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_4 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P IV
B₂₈	$(x_4 + \frac{1}{2}) \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 - z_4 \mathbf{a}_3$	=	$a(x_4 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_4 - \frac{1}{2}) \hat{\mathbf{y}} - cz_4 \hat{\mathbf{z}}$	(8c)	P IV
B₂₉	$-x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 - z_4 \mathbf{a}_3$	=	$-ax_4 \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} - cz_4 \hat{\mathbf{z}}$	(8c)	P IV
B₃₀	$(x_4 + \frac{1}{2}) \mathbf{a}_1 + y_4 \mathbf{a}_2 - (z_4 - \frac{1}{2}) \mathbf{a}_3$	=	$a(x_4 + \frac{1}{2}) \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} - c(z_4 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P IV

\mathbf{B}_{31}	$=$	$x_4 \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	$=$	$a x_4 \hat{\mathbf{x}} - b (y_4 - \frac{1}{2}) \hat{\mathbf{y}} + c (z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	P IV
\mathbf{B}_{32}	$=$	$- (x_4 - \frac{1}{2}) \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$-a (x_4 - \frac{1}{2}) \hat{\mathbf{x}} + b (y_4 + \frac{1}{2}) \hat{\mathbf{y}} + c z_4 \hat{\mathbf{z}}$	(8c)	P IV
\mathbf{B}_{33}	$=$	$x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$a x_5 \hat{\mathbf{x}} + b y_5 \hat{\mathbf{y}} + c z_5 \hat{\mathbf{z}}$	(8c)	Re I
\mathbf{B}_{34}	$=$	$- (x_5 - \frac{1}{2}) \mathbf{a}_1 - y_5 \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a (x_5 - \frac{1}{2}) \hat{\mathbf{x}} - b y_5 \hat{\mathbf{y}} + c (z_5 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Re I
\mathbf{B}_{35}	$=$	$-x_5 \mathbf{a}_1 + (y_5 + \frac{1}{2}) \mathbf{a}_2 - (z_5 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-a x_5 \hat{\mathbf{x}} + b (y_5 + \frac{1}{2}) \hat{\mathbf{y}} - c (z_5 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Re I
\mathbf{B}_{36}	$=$	$(x_5 + \frac{1}{2}) \mathbf{a}_1 - (y_5 - \frac{1}{2}) \mathbf{a}_2 - z_5 \mathbf{a}_3$	$=$	$a (x_5 + \frac{1}{2}) \hat{\mathbf{x}} - b (y_5 - \frac{1}{2}) \hat{\mathbf{y}} - c z_5 \hat{\mathbf{z}}$	(8c)	Re I
\mathbf{B}_{37}	$=$	$-x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 - z_5 \mathbf{a}_3$	$=$	$-a x_5 \hat{\mathbf{x}} - b y_5 \hat{\mathbf{y}} - c z_5 \hat{\mathbf{z}}$	(8c)	Re I
\mathbf{B}_{38}	$=$	$(x_5 + \frac{1}{2}) \mathbf{a}_1 + y_5 \mathbf{a}_2 - (z_5 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a (x_5 + \frac{1}{2}) \hat{\mathbf{x}} + b y_5 \hat{\mathbf{y}} - c (z_5 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Re I
\mathbf{B}_{39}	$=$	$x_5 \mathbf{a}_1 - (y_5 - \frac{1}{2}) \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3$	$=$	$a x_5 \hat{\mathbf{x}} - b (y_5 - \frac{1}{2}) \hat{\mathbf{y}} + c (z_5 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Re I
\mathbf{B}_{40}	$=$	$- (x_5 - \frac{1}{2}) \mathbf{a}_1 + (y_5 + \frac{1}{2}) \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$-a (x_5 - \frac{1}{2}) \hat{\mathbf{x}} + b (y_5 + \frac{1}{2}) \hat{\mathbf{y}} + c z_5 \hat{\mathbf{z}}$	(8c)	Re I

References

- [1] W. Jeitschko and R. Rühl, *Synthesis and crystal structure of diamagnetic ReP₄, a polyphosphide with Re-Re pairs*, Acta Crystallogr. Sect. B **35**, 1953–1958 (1979), doi:10.1107/S0567740879008232.