


Ca₅Pb₃ Structure: A5B3_hP48_186_3cd_3c-001

Cite this page as: H. Eckert, S. Divilov, A. Zettel, M. J. Mehl, D. Hicks, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*. In preparation.

<https://aflow.org/p/XPM6>

https://aflow.org/p/A5B3_hP48_186_3cd_3c-001




Prototype	Ca ₅ Pb ₃
AFLOW prototype label	A5B3_hP48_186_3cd_3c-001
ICSD	58922

Pearson symbol	hP48
Space group number	186
Space group symbol	$P6_3mc$
AFLOW prototype command	aflow --proto=A5B3_hP48_186_3cd_3c-001 --params= $a, c/a, x_1, z_1, x_2, z_2, x_3, z_3, x_4, z_4, x_5, z_5, x_6, z_6, x_7, y_7, z_7$

Hexagonal primitive vectors

$$\begin{aligned} \mathbf{a}_1 &= \frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a \hat{\mathbf{y}} \\ \mathbf{a}_2 &= \frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \hat{\mathbf{z}} \end{aligned}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
\mathbf{B}_1	$= x_1 \mathbf{a}_1 - x_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$-\sqrt{3}ax_1 \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(6c)	Ca I
\mathbf{B}_2	$= x_1 \mathbf{a}_1 + 2x_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$\frac{3}{2}ax_1 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_1 \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(6c)	Ca I
\mathbf{B}_3	$= -2x_1 \mathbf{a}_1 - x_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$-\frac{3}{2}ax_1 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_1 \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(6c)	Ca I
\mathbf{B}_4	$= -x_1 \mathbf{a}_1 + x_1 \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	$=$	$\sqrt{3}ax_1 \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \hat{\mathbf{z}}$	(6c)	Ca I
\mathbf{B}_5	$= -x_1 \mathbf{a}_1 - 2x_1 \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-\frac{3}{2}ax_1 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_1 \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \hat{\mathbf{z}}$	(6c)	Ca I
\mathbf{B}_6	$= 2x_1 \mathbf{a}_1 + x_1 \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{3}{2}ax_1 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_1 \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \hat{\mathbf{z}}$	(6c)	Ca I
\mathbf{B}_7	$= x_2 \mathbf{a}_1 - x_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$-\sqrt{3}ax_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(6c)	Ca II
\mathbf{B}_8	$= x_2 \mathbf{a}_1 + 2x_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$\frac{3}{2}ax_2 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(6c)	Ca II
\mathbf{B}_9	$= -2x_2 \mathbf{a}_1 - x_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$-\frac{3}{2}ax_2 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(6c)	Ca II
\mathbf{B}_{10}	$= -x_2 \mathbf{a}_1 + x_2 \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	$=$	$\sqrt{3}ax_2 \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(6c)	Ca II
\mathbf{B}_{11}	$= -x_2 \mathbf{a}_1 - 2x_2 \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-\frac{3}{2}ax_2 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_2 \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(6c)	Ca II
\mathbf{B}_{12}	$= 2x_2 \mathbf{a}_1 + x_2 \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{3}{2}ax_2 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_2 \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(6c)	Ca II
\mathbf{B}_{13}	$= x_3 \mathbf{a}_1 - x_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$-\sqrt{3}ax_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(6c)	Ca III
\mathbf{B}_{14}	$= x_3 \mathbf{a}_1 + 2x_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$\frac{3}{2}ax_3 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(6c)	Ca III
\mathbf{B}_{15}	$= -2x_3 \mathbf{a}_1 - x_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$-\frac{3}{2}ax_3 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(6c)	Ca III
\mathbf{B}_{16}	$= -x_3 \mathbf{a}_1 + x_3 \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	$=$	$\sqrt{3}ax_3 \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(6c)	Ca III
\mathbf{B}_{17}	$= -x_3 \mathbf{a}_1 - 2x_3 \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-\frac{3}{2}ax_3 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_3 \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(6c)	Ca III
\mathbf{B}_{18}	$= 2x_3 \mathbf{a}_1 + x_3 \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{3}{2}ax_3 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_3 \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(6c)	Ca III
\mathbf{B}_{19}	$= x_4 \mathbf{a}_1 - x_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$-\sqrt{3}ax_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(6c)	Pb I
\mathbf{B}_{20}	$= x_4 \mathbf{a}_1 + 2x_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$\frac{3}{2}ax_4 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(6c)	Pb I
\mathbf{B}_{21}	$= -2x_4 \mathbf{a}_1 - x_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$-\frac{3}{2}ax_4 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(6c)	Pb I
\mathbf{B}_{22}	$= -x_4 \mathbf{a}_1 + x_4 \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	$=$	$\sqrt{3}ax_4 \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(6c)	Pb I
\mathbf{B}_{23}	$= -x_4 \mathbf{a}_1 - 2x_4 \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-\frac{3}{2}ax_4 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_4 \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(6c)	Pb I
\mathbf{B}_{24}	$= 2x_4 \mathbf{a}_1 + x_4 \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{3}{2}ax_4 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_4 \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(6c)	Pb I
\mathbf{B}_{25}	$= x_5 \mathbf{a}_1 - x_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$-\sqrt{3}ax_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(6c)	Pb II

$$\begin{aligned}
\mathbf{B}_{26} &= x_5 \mathbf{a}_1 + 2x_5 \mathbf{a}_2 + z_5 \mathbf{a}_3 &= \frac{3}{2}ax_5 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}} &(6c) &\text{Pb II} \\
\mathbf{B}_{27} &= -2x_5 \mathbf{a}_1 - x_5 \mathbf{a}_2 + z_5 \mathbf{a}_3 &= -\frac{3}{2}ax_5 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}} &(6c) &\text{Pb II} \\
\mathbf{B}_{28} &= -x_5 \mathbf{a}_1 + x_5 \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3 &= \sqrt{3}ax_5 \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}} &(6c) &\text{Pb II} \\
\mathbf{B}_{29} &= -x_5 \mathbf{a}_1 - 2x_5 \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3 &= -\frac{3}{2}ax_5 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}} &(6c) &\text{Pb II} \\
\mathbf{B}_{30} &= 2x_5 \mathbf{a}_1 + x_5 \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3 &= \frac{3}{2}ax_5 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}} &(6c) &\text{Pb II} \\
\mathbf{B}_{31} &= x_6 \mathbf{a}_1 - x_6 \mathbf{a}_2 + z_6 \mathbf{a}_3 &= -\sqrt{3}ax_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}} &(6c) &\text{Pb III} \\
\mathbf{B}_{32} &= x_6 \mathbf{a}_1 + 2x_6 \mathbf{a}_2 + z_6 \mathbf{a}_3 &= \frac{3}{2}ax_6 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}} &(6c) &\text{Pb III} \\
\mathbf{B}_{33} &= -2x_6 \mathbf{a}_1 - x_6 \mathbf{a}_2 + z_6 \mathbf{a}_3 &= -\frac{3}{2}ax_6 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}} &(6c) &\text{Pb III} \\
\mathbf{B}_{34} &= -x_6 \mathbf{a}_1 + x_6 \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3 &= \sqrt{3}ax_6 \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}} &(6c) &\text{Pb III} \\
\mathbf{B}_{35} &= -x_6 \mathbf{a}_1 - 2x_6 \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3 &= -\frac{3}{2}ax_6 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_6 \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}} &(6c) &\text{Pb III} \\
\mathbf{B}_{36} &= 2x_6 \mathbf{a}_1 + x_6 \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3 &= \frac{3}{2}ax_6 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_6 \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}} &(6c) &\text{Pb III} \\
\mathbf{B}_{37} &= x_7 \mathbf{a}_1 + y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3 &= \frac{1}{2}a(x_7 + y_7) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_7 - y_7) \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}} &(12d) &\text{Ca IV} \\
\mathbf{B}_{38} &= -y_7 \mathbf{a}_1 + (x_7 - y_7) \mathbf{a}_2 + z_7 \mathbf{a}_3 &= \frac{1}{2}a(x_7 - 2y_7) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}} &(12d) &\text{Ca IV} \\
\mathbf{B}_{39} &= -(x_7 - y_7) \mathbf{a}_1 - x_7 \mathbf{a}_2 + z_7 \mathbf{a}_3 &= -\frac{1}{2}a(2x_7 - y_7) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}} &(12d) &\text{Ca IV} \\
\mathbf{B}_{40} &= -x_7 \mathbf{a}_1 - y_7 \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3 &= -\frac{1}{2}a(x_7 + y_7) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_7 - y_7) \hat{\mathbf{y}} + &(12d) &\text{Ca IV} \\
&&& c(z_7 + \frac{1}{2}) \hat{\mathbf{z}} \\
\mathbf{B}_{41} &= y_7 \mathbf{a}_1 - (x_7 - y_7) \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3 &= \frac{1}{2}a(-x_7 + 2y_7) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_7 \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \hat{\mathbf{z}} &(12d) &\text{Ca IV} \\
\mathbf{B}_{42} &= (x_7 - y_7) \mathbf{a}_1 + x_7 \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3 &= \frac{1}{2}a(2x_7 - y_7) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ay_7 \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \hat{\mathbf{z}} &(12d) &\text{Ca IV} \\
\mathbf{B}_{43} &= -y_7 \mathbf{a}_1 - x_7 \mathbf{a}_2 + z_7 \mathbf{a}_3 &= -\frac{1}{2}a(x_7 + y_7) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_7 - y_7) \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}} &(12d) &\text{Ca IV} \\
\mathbf{B}_{44} &= -(x_7 - y_7) \mathbf{a}_1 + y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3 &= \frac{1}{2}a(-x_7 + 2y_7) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}} &(12d) &\text{Ca IV} \\
\mathbf{B}_{45} &= x_7 \mathbf{a}_1 + (x_7 - y_7) \mathbf{a}_2 + z_7 \mathbf{a}_3 &= \frac{1}{2}a(2x_7 - y_7) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}} &(12d) &\text{Ca IV} \\
\mathbf{B}_{46} &= y_7 \mathbf{a}_1 + x_7 \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3 &= \frac{1}{2}a(x_7 + y_7) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_7 - y_7) \hat{\mathbf{y}} + &(12d) &\text{Ca IV} \\
&&& c(z_7 + \frac{1}{2}) \hat{\mathbf{z}} \\
\mathbf{B}_{47} &= (x_7 - y_7) \mathbf{a}_1 - y_7 \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3 &= \frac{1}{2}a(x_7 - 2y_7) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_7 \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \hat{\mathbf{z}} &(12d) &\text{Ca IV} \\
\mathbf{B}_{48} &= -x_7 \mathbf{a}_1 - (x_7 - y_7) \mathbf{a}_2 + &= -\frac{1}{2}a(2x_7 - y_7) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ay_7 \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \hat{\mathbf{z}} &(12d) &\text{Ca IV} \\
&& (z_7 + \frac{1}{2}) \mathbf{a}_3
\end{aligned}$$

References

- [1] O. Helleis, H. Kandler, E. Leicht, W. Quiring, and E. Wölfel, *Die Kristallstrukturen der intermetallischen Phasen $Ca_{33}Ge$, Ca_7Ge , Ca_3Pb und Ca_5Pb_3* , Z. Anorganische und Allgemeine Chemie **320**, 86–100 (1963), doi:10.1002/zaac.19633200113.

Found in

- [1] G. Bruzzone and F. Merlo, *The equilibrium phase diagram of the calcium-lead system and crystal structures of the compounds $CaPb$, $EuPb$ and $YbPb$* , J. Less-Common Met. **48**, 103–109 (1976), doi:10.1016/0022-5088(76)90236-8.