


NbSe₃ Structure:

AB3_mP24_11_3e_9e-001

Cite this page as: H. Eckert, S. Divilov, A. Zettel, M. J. Mehl, D. Hicks, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*. In preparation.

<https://aflow.org/p/4LKF>

https://aflow.org/p/AB3_mP24_11_3e_9e-001



Prototype	NbSe ₃
AFLOW prototype label	AB3_mP24_11_3e_9e-001
ICSD	76579
Pearson symbol	mP24
Space group number	11
Space group symbol	$P2_1/m$
AFLOW prototype command	aflow --proto=AB3_mP24_11_3e_9e-001 --params= $a, b/a, c/a, \beta, x_1, z_1, x_2, z_2, x_3, z_3, x_4, z_4, x_5, z_5, x_6, z_6, x_7, z_7, x_8, z_8, x_9, z_9, x_{10}, z_{10}, x_{11}, z_{11}, x_{12}, z_{12}$


Other compounds with this structure

TaS₃

- We use the structure data taken by (Hodeau, 1978) at 100K.

Simple Monoclinic primitive vectors

$$\begin{aligned} \mathbf{a}_1 &= a \hat{\mathbf{x}} \\ \mathbf{a}_2 &= b \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \cos \beta \hat{\mathbf{x}} + c \sin \beta \hat{\mathbf{z}} \end{aligned}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
\mathbf{B}_1	$= x_1 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$(ax_1 + cz_1 \cos \beta) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_1 \sin \beta \hat{\mathbf{z}}$	(2e)	Nb I
\mathbf{B}_2	$= -x_1 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$-(ax_1 + cz_1 \cos \beta) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_1 \sin \beta \hat{\mathbf{z}}$	(2e)	Nb I
\mathbf{B}_3	$= x_2 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$(ax_2 + cz_2 \cos \beta) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_2 \sin \beta \hat{\mathbf{z}}$	(2e)	Nb II
\mathbf{B}_4	$= -x_2 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$-(ax_2 + cz_2 \cos \beta) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_2 \sin \beta \hat{\mathbf{z}}$	(2e)	Nb II
\mathbf{B}_5	$= x_3 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$(ax_3 + cz_3 \cos \beta) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_3 \sin \beta \hat{\mathbf{z}}$	(2e)	Nb III
\mathbf{B}_6	$= -x_3 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_3 \mathbf{a}_3$	$=$	$-(ax_3 + cz_3 \cos \beta) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_3 \sin \beta \hat{\mathbf{z}}$	(2e)	Nb III
\mathbf{B}_7	$= x_4 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$(ax_4 + cz_4 \cos \beta) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_4 \sin \beta \hat{\mathbf{z}}$	(2e)	Se I
\mathbf{B}_8	$= -x_4 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_4 \mathbf{a}_3$	$=$	$-(ax_4 + cz_4 \cos \beta) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_4 \sin \beta \hat{\mathbf{z}}$	(2e)	Se I
\mathbf{B}_9	$= x_5 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$(ax_5 + cz_5 \cos \beta) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_5 \sin \beta \hat{\mathbf{z}}$	(2e)	Se II
\mathbf{B}_{10}	$= -x_5 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_5 \mathbf{a}_3$	$=$	$-(ax_5 + cz_5 \cos \beta) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_5 \sin \beta \hat{\mathbf{z}}$	(2e)	Se II
\mathbf{B}_{11}	$= x_6 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$(ax_6 + cz_6 \cos \beta) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_6 \sin \beta \hat{\mathbf{z}}$	(2e)	Se III
\mathbf{B}_{12}	$= -x_6 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_6 \mathbf{a}_3$	$=$	$-(ax_6 + cz_6 \cos \beta) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_6 \sin \beta \hat{\mathbf{z}}$	(2e)	Se III
\mathbf{B}_{13}	$= x_7 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_7 \mathbf{a}_3$	$=$	$(ax_7 + cz_7 \cos \beta) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_7 \sin \beta \hat{\mathbf{z}}$	(2e)	Se IV
\mathbf{B}_{14}	$= -x_7 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_7 \mathbf{a}_3$	$=$	$-(ax_7 + cz_7 \cos \beta) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_7 \sin \beta \hat{\mathbf{z}}$	(2e)	Se IV
\mathbf{B}_{15}	$= x_8 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_8 \mathbf{a}_3$	$=$	$(ax_8 + cz_8 \cos \beta) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_8 \sin \beta \hat{\mathbf{z}}$	(2e)	Se V
\mathbf{B}_{16}	$= -x_8 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_8 \mathbf{a}_3$	$=$	$-(ax_8 + cz_8 \cos \beta) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_8 \sin \beta \hat{\mathbf{z}}$	(2e)	Se V
\mathbf{B}_{17}	$= x_9 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_9 \mathbf{a}_3$	$=$	$(ax_9 + cz_9 \cos \beta) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_9 \sin \beta \hat{\mathbf{z}}$	(2e)	Se VI
\mathbf{B}_{18}	$= -x_9 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_9 \mathbf{a}_3$	$=$	$-(ax_9 + cz_9 \cos \beta) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_9 \sin \beta \hat{\mathbf{z}}$	(2e)	Se VI
\mathbf{B}_{19}	$= x_{10} \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_{10} \mathbf{a}_3$	$=$	$(ax_{10} + cz_{10} \cos \beta) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_{10} \sin \beta \hat{\mathbf{z}}$	(2e)	Se VII
\mathbf{B}_{20}	$= -x_{10} \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_{10} \mathbf{a}_3$	$=$	$-(ax_{10} + cz_{10} \cos \beta) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_{10} \sin \beta \hat{\mathbf{z}}$	(2e)	Se VII
\mathbf{B}_{21}	$= x_{11} \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_{11} \mathbf{a}_3$	$=$	$(ax_{11} + cz_{11} \cos \beta) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_{11} \sin \beta \hat{\mathbf{z}}$	(2e)	Se VIII
\mathbf{B}_{22}	$= -x_{11} \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_{11} \mathbf{a}_3$	$=$	$-(ax_{11} + cz_{11} \cos \beta) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_{11} \sin \beta \hat{\mathbf{z}}$	(2e)	Se VIII
\mathbf{B}_{23}	$= x_{12} \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_{12} \mathbf{a}_3$	$=$	$(ax_{12} + cz_{12} \cos \beta) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_{12} \sin \beta \hat{\mathbf{z}}$	(2e)	Se IX
\mathbf{B}_{24}	$= -x_{12} \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_{12} \mathbf{a}_3$	$=$	$-(ax_{12} + cz_{12} \cos \beta) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_{12} \sin \beta \hat{\mathbf{z}}$	(2e)	Se IX

References

- [1] J. L. Hodeau, M. Marezio, C. Roucau, R. Ayroles, A. Meerschaut, J. Rouxel, and P. Monceau, *Charge-density waves in NbSe₃ at 145K: crystal structures, X-ray and electron diffraction studies*, J. Phys. C: Solid State Phys. **11**, 4117–4134 (1978), doi:10.1088/0022-3719/11/20/009.