


Rynersonite (Orthorhombic CaTa_2O_6) Structure: AB6C2_oP36_62_c_2c2d_d-001

This structure originally had the label AB6C2_oP36_62_c_2c2d_d. Calls to that address will be redirected here.

Cite this page as: D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/p/07R8>

https://aflow.org/p/AB6C2_oP36_62_c_2c2d_d-001



Prototype	CaO_4Ta_2
AFLOW prototype label	AB6C2_oP36_62_c_2c2d_d-001
Mineral name	rynersonite
ICSD	24091
Pearson symbol	oP36
Space group number	62
Space group symbol	$Pnma$
AFLOW prototype command	<pre>aflow --proto=AB6C2_oP36_62_c_2c2d_d-001 --params=a, b/a, c/a, x1, z1, x2, z2, x3, z3, x4, y4, z4, x5, y5, z5, x6, y6, z6</pre>


Other compounds with this structure

$\text{Ca}(\text{TaTi})\text{O}_6$, CaTa_2O_6 , EuTa_2O_6 , GdTa_2O_6 , GdTl_2O_6 , $\text{La}(\text{NbTi})\text{O}_6$, LaTa_2O_6 , LaTi_2O_6 , $\text{Nd}(\text{TaTi})\text{O}_6$, $\text{Pr}(\text{TaTi})\text{O}_6$, SrNb_2O_6 , $\text{Tb}(\text{TaTi})\text{O}_6$, YT_2O_6 , $(\text{Sr}_{0.7}\text{La}_{0.3})\text{Nb}_2\text{O}_6$

- This is the room-temperature structure of CaTa_2O_6 . At 500°C this takes on the cubic perovskite structure with a half-filled calcium site.

Simple Orthorhombic primitive vectors

$$\begin{aligned}\mathbf{a}_1 &= a \hat{\mathbf{x}} \\ \mathbf{a}_2 &= b \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \hat{\mathbf{z}}\end{aligned}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
\mathbf{B}_1	$= x_1 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$ax_1 \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(4c)	Ca I
\mathbf{B}_2	$= -(x_1 - \frac{1}{2}) \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_1 - \frac{1}{2}) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	Ca I
\mathbf{B}_3	$= -x_1 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$-ax_1 \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_1 \hat{\mathbf{z}}$	(4c)	Ca I
\mathbf{B}_4	$= (x_1 + \frac{1}{2}) \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 - (z_1 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_1 + \frac{1}{2}) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} - c(z_1 - \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	Ca I
\mathbf{B}_5	$= x_2 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$ax_2 \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4c)	O I
\mathbf{B}_6	$= -(x_2 - \frac{1}{2}) \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_2 - \frac{1}{2}) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	O I
\mathbf{B}_7	$= -x_2 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$-ax_2 \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(4c)	O I
\mathbf{B}_8	$= (x_2 + \frac{1}{2}) \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 - (z_2 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_2 + \frac{1}{2}) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} - c(z_2 - \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	O I
\mathbf{B}_9	$= x_3 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$ax_3 \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4c)	O II
\mathbf{B}_{10}	$= -(x_3 - \frac{1}{2}) \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_3 - \frac{1}{2}) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	O II
\mathbf{B}_{11}	$= -x_3 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_3 \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	(4c)	O II
\mathbf{B}_{12}	$= (x_3 + \frac{1}{2}) \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 - (z_3 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_3 + \frac{1}{2}) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} - c(z_3 - \frac{1}{2}) \hat{\mathbf{z}}$	(4c)	O II
\mathbf{B}_{13}	$= x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$ax_4 \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(8d)	O III
\mathbf{B}_{14}	$= -(x_4 - \frac{1}{2}) \mathbf{a}_1 - y_4 \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_4 - \frac{1}{2}) \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O III
\mathbf{B}_{15}	$= -x_4 \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 - z_4 \mathbf{a}_3$	$=$	$-ax_4 \hat{\mathbf{x}} + b(y_4 + \frac{1}{2}) \hat{\mathbf{y}} - cz_4 \hat{\mathbf{z}}$	(8d)	O III
\mathbf{B}_{16}	$= (x_4 + \frac{1}{2}) \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 - (z_4 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_4 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_4 - \frac{1}{2}) \hat{\mathbf{y}} - c(z_4 - \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O III
\mathbf{B}_{17}	$= -x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 - z_4 \mathbf{a}_3$	$=$	$-ax_4 \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} - cz_4 \hat{\mathbf{z}}$	(8d)	O III
\mathbf{B}_{18}	$= (x_4 + \frac{1}{2}) \mathbf{a}_1 + y_4 \mathbf{a}_2 - (z_4 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_4 + \frac{1}{2}) \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} - c(z_4 - \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O III
\mathbf{B}_{19}	$= x_4 \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$ax_4 \hat{\mathbf{x}} - b(y_4 - \frac{1}{2}) \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(8d)	O III
\mathbf{B}_{20}	$= -(x_4 - \frac{1}{2}) \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_4 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_4 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O III
\mathbf{B}_{21}	$= x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$ax_5 \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(8d)	O IV
\mathbf{B}_{22}	$= -(x_5 - \frac{1}{2}) \mathbf{a}_1 - y_5 \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_5 - \frac{1}{2}) \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O IV
\mathbf{B}_{23}	$= -x_5 \mathbf{a}_1 + (y_5 + \frac{1}{2}) \mathbf{a}_2 - z_5 \mathbf{a}_3$	$=$	$-ax_5 \hat{\mathbf{x}} + b(y_5 + \frac{1}{2}) \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}}$	(8d)	O IV

$$\begin{aligned}
\mathbf{B}_{24} &= \begin{pmatrix} x_5 + \frac{1}{2} \\ z_5 - \frac{1}{2} \end{pmatrix} \mathbf{a}_1 - \begin{pmatrix} y_5 - \frac{1}{2} \\ z_5 - \frac{1}{2} \end{pmatrix} \mathbf{a}_2 - \mathbf{a}_3 &= a \left(x_5 + \frac{1}{2} \right) \hat{\mathbf{x}} - b \left(y_5 - \frac{1}{2} \right) \hat{\mathbf{y}} - c \left(z_5 - \frac{1}{2} \right) \hat{\mathbf{z}} & (8d) & \text{O IV} \\
\mathbf{B}_{25} &= -x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 - z_5 \mathbf{a}_3 &= -ax_5 \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}} & (8d) & \text{O IV} \\
\mathbf{B}_{26} &= \begin{pmatrix} x_5 + \frac{1}{2} \\ z_5 - \frac{1}{2} \end{pmatrix} \mathbf{a}_1 + y_5 \mathbf{a}_2 - \begin{pmatrix} y_5 - \frac{1}{2} \\ z_5 - \frac{1}{2} \end{pmatrix} \mathbf{a}_3 &= a \left(x_5 + \frac{1}{2} \right) \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} - c \left(z_5 - \frac{1}{2} \right) \hat{\mathbf{z}} & (8d) & \text{O IV} \\
\mathbf{B}_{27} &= x_5 \mathbf{a}_1 - \begin{pmatrix} y_5 - \frac{1}{2} \\ z_5 - \frac{1}{2} \end{pmatrix} \mathbf{a}_2 + z_5 \mathbf{a}_3 &= ax_5 \hat{\mathbf{x}} - b \left(y_5 - \frac{1}{2} \right) \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}} & (8d) & \text{O IV} \\
\mathbf{B}_{28} &= -\begin{pmatrix} x_5 - \frac{1}{2} \\ z_5 + \frac{1}{2} \end{pmatrix} \mathbf{a}_1 + \begin{pmatrix} y_5 + \frac{1}{2} \\ z_5 + \frac{1}{2} \end{pmatrix} \mathbf{a}_2 + \mathbf{a}_3 &= -a \left(x_5 - \frac{1}{2} \right) \hat{\mathbf{x}} + b \left(y_5 + \frac{1}{2} \right) \hat{\mathbf{y}} + c \left(z_5 + \frac{1}{2} \right) \hat{\mathbf{z}} & (8d) & \text{O IV} \\
\mathbf{B}_{29} &= x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3 &= ax_6 \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}} & (8d) & \text{Ta I} \\
\mathbf{B}_{30} &= -\begin{pmatrix} x_6 - \frac{1}{2} \\ z_6 + \frac{1}{2} \end{pmatrix} \mathbf{a}_1 - y_6 \mathbf{a}_2 + \mathbf{a}_3 &= -a \left(x_6 - \frac{1}{2} \right) \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} + c \left(z_6 + \frac{1}{2} \right) \hat{\mathbf{z}} & (8d) & \text{Ta I} \\
\mathbf{B}_{31} &= -x_6 \mathbf{a}_1 + \begin{pmatrix} y_6 + \frac{1}{2} \\ z_6 - \frac{1}{2} \end{pmatrix} \mathbf{a}_2 - z_6 \mathbf{a}_3 &= -ax_6 \hat{\mathbf{x}} + b \left(y_6 + \frac{1}{2} \right) \hat{\mathbf{y}} - cz_6 \hat{\mathbf{z}} & (8d) & \text{Ta I} \\
\mathbf{B}_{32} &= \begin{pmatrix} x_6 + \frac{1}{2} \\ z_6 - \frac{1}{2} \end{pmatrix} \mathbf{a}_1 - \begin{pmatrix} y_6 - \frac{1}{2} \\ z_6 - \frac{1}{2} \end{pmatrix} \mathbf{a}_2 - \mathbf{a}_3 &= a \left(x_6 + \frac{1}{2} \right) \hat{\mathbf{x}} - b \left(y_6 - \frac{1}{2} \right) \hat{\mathbf{y}} - c \left(z_6 - \frac{1}{2} \right) \hat{\mathbf{z}} & (8d) & \text{Ta I} \\
\mathbf{B}_{33} &= -x_6 \mathbf{a}_1 - y_6 \mathbf{a}_2 - z_6 \mathbf{a}_3 &= -ax_6 \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} - cz_6 \hat{\mathbf{z}} & (8d) & \text{Ta I} \\
\mathbf{B}_{34} &= \begin{pmatrix} x_6 + \frac{1}{2} \\ z_6 - \frac{1}{2} \end{pmatrix} \mathbf{a}_1 + y_6 \mathbf{a}_2 - \begin{pmatrix} y_6 - \frac{1}{2} \\ z_6 - \frac{1}{2} \end{pmatrix} \mathbf{a}_3 &= a \left(x_6 + \frac{1}{2} \right) \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} - c \left(z_6 - \frac{1}{2} \right) \hat{\mathbf{z}} & (8d) & \text{Ta I} \\
\mathbf{B}_{35} &= x_6 \mathbf{a}_1 - \begin{pmatrix} y_6 - \frac{1}{2} \\ z_6 - \frac{1}{2} \end{pmatrix} \mathbf{a}_2 + z_6 \mathbf{a}_3 &= ax_6 \hat{\mathbf{x}} - b \left(y_6 - \frac{1}{2} \right) \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}} & (8d) & \text{Ta I} \\
\mathbf{B}_{36} &= -\begin{pmatrix} x_6 - \frac{1}{2} \\ z_6 + \frac{1}{2} \end{pmatrix} \mathbf{a}_1 + \begin{pmatrix} y_6 + \frac{1}{2} \\ z_6 + \frac{1}{2} \end{pmatrix} \mathbf{a}_2 + \mathbf{a}_3 &= -a \left(x_6 - \frac{1}{2} \right) \hat{\mathbf{x}} + b \left(y_6 + \frac{1}{2} \right) \hat{\mathbf{y}} + c \left(z_6 + \frac{1}{2} \right) \hat{\mathbf{z}} & (8d) & \text{Ta I}
\end{aligned}$$

References

- [1] L. Jahnberg, *Crystal Structure of Orthorhombic CaTa₂O₆*, Acta Chem. Scand. **71**, 2548–2559 (1963), doi:10.3891/acta.chem.scand.17-2548.