


Bastnäsité [CeF(CO₃), *G*7₁] Structure: ABCD3_hP36_190_h_g_af_hi-001

This structure originally had the label ABCD3_hP36_190_h_g_af_hi. Calls to that address will be redirected here.

Cite this page as: D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/p/XFRG>

https://aflow.org/p/ABCD3_hP36_190_h_g_af_hi-001



Prototype	CCeFO ₃
AFLOW prototype label	ABCD3_hP36_190_h_g_af_hi-001
<i>Strukturbericht</i> designation	<i>G</i> 7 ₁
Mineral name	bastnäsité
ICSD	72939
Pearson symbol	hP36
Space group number	190

Space group symbol

 $P\bar{6}2c$

AFLOW prototype command

```
aflow --proto=ABCD3_hP36_190_h_g_af_hi-001
      --params=a, c/a, z2, x3, x4, y4, x5, y5, x6, y6, z6
```

Other compounds with this structure

LaF(CO₃)


- Technically the name bastnäsite belongs to both cerium and lanthanum compounds, and the are usually designated bastnäsite-(Ce) and bastnäsite-(La), respectively.

Hexagonal primitive vectors

$$\mathbf{a}_1 = \frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a \hat{\mathbf{y}}$$

$$\mathbf{a}_2 = \frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a \hat{\mathbf{y}}$$

$$\mathbf{a}_3 = c \hat{\mathbf{z}}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
\mathbf{B}_1	0	$=$	0	(2a)	F I
\mathbf{B}_2	$\frac{1}{2} \mathbf{a}_3$	$=$	$\frac{1}{2}c \hat{\mathbf{z}}$	(2a)	F I
\mathbf{B}_3	$\frac{1}{3} \mathbf{a}_1 + \frac{2}{3} \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4f)	F II
\mathbf{B}_4	$\frac{1}{3} \mathbf{a}_1 + \frac{2}{3} \mathbf{a}_2 - (z_2 - \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} - c(z_2 - \frac{1}{2}) \hat{\mathbf{z}}$	(4f)	F II
\mathbf{B}_5	$\frac{2}{3} \mathbf{a}_1 + \frac{1}{3} \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(4f)	F II
\mathbf{B}_6	$\frac{2}{3} \mathbf{a}_1 + \frac{1}{3} \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(4f)	F II
\mathbf{B}_7	$x_3 \mathbf{a}_1$	$=$	$\frac{1}{2}ax_3 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_3 \hat{\mathbf{y}}$	(6g)	Ce I
\mathbf{B}_8	$x_3 \mathbf{a}_2$	$=$	$\frac{1}{2}ax_3 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_3 \hat{\mathbf{y}}$	(6g)	Ce I
\mathbf{B}_9	$-x_3 \mathbf{a}_1 - x_3 \mathbf{a}_2$	$=$	$-ax_3 \hat{\mathbf{x}}$	(6g)	Ce I
\mathbf{B}_{10}	$x_3 \mathbf{a}_1 + \frac{1}{2} \mathbf{a}_3$	$=$	$\frac{1}{2}ax_3 \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_3 \hat{\mathbf{y}} + \frac{1}{2}c \hat{\mathbf{z}}$	(6g)	Ce I
\mathbf{B}_{11}	$x_3 \mathbf{a}_2 + \frac{1}{2} \mathbf{a}_3$	$=$	$\frac{1}{2}ax_3 \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_3 \hat{\mathbf{y}} + \frac{1}{2}c \hat{\mathbf{z}}$	(6g)	Ce I
\mathbf{B}_{12}	$-x_3 \mathbf{a}_1 - x_3 \mathbf{a}_2 + \frac{1}{2} \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} + \frac{1}{2}c \hat{\mathbf{z}}$	(6g)	Ce I
\mathbf{B}_{13}	$x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + \frac{1}{4} \mathbf{a}_3$	$=$	$\frac{1}{2}a(x_4 + y_4) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_4 - y_4) \hat{\mathbf{y}} + \frac{1}{4}c \hat{\mathbf{z}}$	(6h)	C I
\mathbf{B}_{14}	$-y_4 \mathbf{a}_1 + (x_4 - y_4) \mathbf{a}_2 + \frac{1}{4} \mathbf{a}_3$	$=$	$\frac{1}{2}a(x_4 - 2y_4) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_4 \hat{\mathbf{y}} + \frac{1}{4}c \hat{\mathbf{z}}$	(6h)	C I
\mathbf{B}_{15}	$-(x_4 - y_4) \mathbf{a}_1 - x_4 \mathbf{a}_2 + \frac{1}{4} \mathbf{a}_3$	$=$	$-\frac{1}{2}a(2x_4 - y_4) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_4 \hat{\mathbf{y}} + \frac{1}{4}c \hat{\mathbf{z}}$	(6h)	C I
\mathbf{B}_{16}	$y_4 \mathbf{a}_1 + x_4 \mathbf{a}_2 + \frac{3}{4} \mathbf{a}_3$	$=$	$\frac{1}{2}a(x_4 + y_4) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_4 - y_4) \hat{\mathbf{y}} + \frac{3}{4}c \hat{\mathbf{z}}$	(6h)	C I
\mathbf{B}_{17}	$(x_4 - y_4) \mathbf{a}_1 - y_4 \mathbf{a}_2 + \frac{3}{4} \mathbf{a}_3$	$=$	$\frac{1}{2}a(x_4 - 2y_4) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_4 \hat{\mathbf{y}} + \frac{3}{4}c \hat{\mathbf{z}}$	(6h)	C I
\mathbf{B}_{18}	$-x_4 \mathbf{a}_1 - (x_4 - y_4) \mathbf{a}_2 + \frac{3}{4} \mathbf{a}_3$	$=$	$-\frac{1}{2}a(2x_4 - y_4) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ay_4 \hat{\mathbf{y}} + \frac{3}{4}c \hat{\mathbf{z}}$	(6h)	C I
\mathbf{B}_{19}	$x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + \frac{1}{4} \mathbf{a}_3$	$=$	$\frac{1}{2}a(x_5 + y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_5 - y_5) \hat{\mathbf{y}} + \frac{1}{4}c \hat{\mathbf{z}}$	(6h)	O I
\mathbf{B}_{20}	$-y_5 \mathbf{a}_1 + (x_5 - y_5) \mathbf{a}_2 + \frac{1}{4} \mathbf{a}_3$	$=$	$\frac{1}{2}a(x_5 - 2y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} + \frac{1}{4}c \hat{\mathbf{z}}$	(6h)	O I
\mathbf{B}_{21}	$-(x_5 - y_5) \mathbf{a}_1 - x_5 \mathbf{a}_2 + \frac{1}{4} \mathbf{a}_3$	$=$	$-\frac{1}{2}a(2x_5 - y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_5 \hat{\mathbf{y}} + \frac{1}{4}c \hat{\mathbf{z}}$	(6h)	O I
\mathbf{B}_{22}	$y_5 \mathbf{a}_1 + x_5 \mathbf{a}_2 + \frac{3}{4} \mathbf{a}_3$	$=$	$\frac{1}{2}a(x_5 + y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_5 - y_5) \hat{\mathbf{y}} + \frac{3}{4}c \hat{\mathbf{z}}$	(6h)	O I

$$\begin{aligned}
\mathbf{B}_{23} &= (x_5 - y_5) \mathbf{a}_1 - y_5 \mathbf{a}_2 + \frac{3}{4} \mathbf{a}_3 &= \frac{1}{2} a (x_5 - 2y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2} a x_5 \hat{\mathbf{y}} + \frac{3}{4} c \hat{\mathbf{z}} & (6h) & \text{O I} \\
\mathbf{B}_{24} &= -x_5 \mathbf{a}_1 - (x_5 - y_5) \mathbf{a}_2 + \frac{3}{4} \mathbf{a}_3 &= -\frac{1}{2} a (2x_5 - y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2} a y_5 \hat{\mathbf{y}} + \frac{3}{4} c \hat{\mathbf{z}} & (6h) & \text{O I} \\
\mathbf{B}_{25} &= x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3 &= \frac{1}{2} a (x_6 + y_6) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2} a (x_6 - y_6) \hat{\mathbf{y}} + c z_6 \hat{\mathbf{z}} & (12i) & \text{O II} \\
\mathbf{B}_{26} &= -y_6 \mathbf{a}_1 + (x_6 - y_6) \mathbf{a}_2 + z_6 \mathbf{a}_3 &= \frac{1}{2} a (x_6 - 2y_6) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2} a x_6 \hat{\mathbf{y}} + c z_6 \hat{\mathbf{z}} & (12i) & \text{O II} \\
\mathbf{B}_{27} &= -(x_6 - y_6) \mathbf{a}_1 - x_6 \mathbf{a}_2 + z_6 \mathbf{a}_3 &= -\frac{1}{2} a (2x_6 - y_6) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2} a y_6 \hat{\mathbf{y}} + c z_6 \hat{\mathbf{z}} & (12i) & \text{O II} \\
\mathbf{B}_{28} &= x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 - (z_6 - \frac{1}{2}) \mathbf{a}_3 &= \frac{1}{2} a (x_6 + y_6) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2} a (x_6 - y_6) \hat{\mathbf{y}} - & (12i) & \text{O II} \\
&&& c (z_6 - \frac{1}{2}) \hat{\mathbf{z}} \\
\mathbf{B}_{29} &= -y_6 \mathbf{a}_1 + (x_6 - y_6) \mathbf{a}_2 - &= \frac{1}{2} a (x_6 - 2y_6) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2} a x_6 \hat{\mathbf{y}} - c (z_6 - \frac{1}{2}) \hat{\mathbf{z}} & (12i) & \text{O II} \\
&& (z_6 - \frac{1}{2}) \mathbf{a}_3 \\
\mathbf{B}_{30} &= -(x_6 - y_6) \mathbf{a}_1 - x_6 \mathbf{a}_2 - &= -\frac{1}{2} a (2x_6 - y_6) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2} a y_6 \hat{\mathbf{y}} - c (z_6 - \frac{1}{2}) \hat{\mathbf{z}} & (12i) & \text{O II} \\
&& (z_6 - \frac{1}{2}) \mathbf{a}_3 \\
\mathbf{B}_{31} &= y_6 \mathbf{a}_1 + x_6 \mathbf{a}_2 - z_6 \mathbf{a}_3 &= \frac{1}{2} a (x_6 + y_6) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2} a (x_6 - y_6) \hat{\mathbf{y}} - c z_6 \hat{\mathbf{z}} & (12i) & \text{O II} \\
\mathbf{B}_{32} &= (x_6 - y_6) \mathbf{a}_1 - y_6 \mathbf{a}_2 - z_6 \mathbf{a}_3 &= \frac{1}{2} a (x_6 - 2y_6) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2} a x_6 \hat{\mathbf{y}} - c z_6 \hat{\mathbf{z}} & (12i) & \text{O II} \\
\mathbf{B}_{33} &= -x_6 \mathbf{a}_1 - (x_6 - y_6) \mathbf{a}_2 - z_6 \mathbf{a}_3 &= -\frac{1}{2} a (2x_6 - y_6) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2} a y_6 \hat{\mathbf{y}} - c z_6 \hat{\mathbf{z}} & (12i) & \text{O II} \\
\mathbf{B}_{34} &= y_6 \mathbf{a}_1 + x_6 \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3 &= \frac{1}{2} a (x_6 + y_6) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2} a (x_6 - y_6) \hat{\mathbf{y}} + & (12i) & \text{O II} \\
&&& c (z_6 + \frac{1}{2}) \hat{\mathbf{z}} \\
\mathbf{B}_{35} &= (x_6 - y_6) \mathbf{a}_1 - y_6 \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3 &= \frac{1}{2} a (x_6 - 2y_6) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2} a x_6 \hat{\mathbf{y}} + c (z_6 + \frac{1}{2}) \hat{\mathbf{z}} & (12i) & \text{O II} \\
\mathbf{B}_{36} &= -x_6 \mathbf{a}_1 - (x_6 - y_6) \mathbf{a}_2 + &= -\frac{1}{2} a (2x_6 - y_6) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2} a y_6 \hat{\mathbf{y}} + c (z_6 + \frac{1}{2}) \hat{\mathbf{z}} & (12i) & \text{O II} \\
&& (z_6 + \frac{1}{2}) \mathbf{a}_3
\end{aligned}$$

References

- [1] Y. Ni, J. M. Hughes, and A. N. Mariano, *The atomic arrangement of bastnäsite-(Ce), Ce(CO₃)F, and structural elements of synchysite-(Ce), röntgenite-(Ce), and parisite-(Ce)*, Am. Mineral. **78**, 415–418 (1993).